



KITCHEN APPLIANCES

REDEFINE THE WAY OF LIFE



Cooker Hoods

Our aesthetically designed and high suction power cooker hoods will suit your every kitchen needs. Wide selection of our modern and high quality designer hoods will surely enhance and satisfy your cooking experience.

Product featured: **RCH-SIROCCO X- BL**

Built-In Microwave Ovens

Enjoy great experience with our large capacity microwave ovens. You can cook various kind of recipes with it.

Product featured: **RMO-OREO-28BL**

Leading the change over the past 20 years

Rubine is the leading household appliances brand for the past 20 years with wide range of technologically advanced products with innovative designs.

Redefine The Way Of Life

INNOVATION

Innovation is the core value of Rubine's ideology and fundamental in development of our unparalleled quality and durable products. All products are designed and built to the highest standards with newest innovations to ensure our products will always perform to the best and reflect the modern trends towards a better living environment.

QUALITY

Top quality, high functionality and irresistible elegance in our product designs, matched by our excellent post sales services are part of our 20 years' tradition. Our aspiration of 'Redefine The Way Of Life' will promise to deliver unprecedented and satisfactory user experience.

EFFICIENCY

We employ groundbreaking technologies to develop energy-efficient household appliances to conserve the environment and to improve quality of life, for today and tomorrow.

Gas Hobs

Cook with ease and confidence with our powerful gas hobs and revolutionary high-powered electric hobs.

Product featured: **RGH-ALLORA2B-BL**

Built-In Ovens


Perfecting your cooking pleasure with modern gleaming glass and robust stainless steel structure, our ovens are equipped with multifunction cooking modes and extra large capacity to provide you with delightful cooking experiences.

Product featured: **RBO-LAVA-70SS**

SMART SUCTION PLATE

RCH-NOVARA-90SS


NOVARA



High Speed Mode

Standby Mode

Low Speed Mode



DC MOTOR SYSTEM

- 800Pa Strong Air Pressure
- Energy Saving
- Turbo Spin

TURBINE BLADES BLOWER

- 2-layer of unique turbine blades design
- 68 turbine blades on each layer
- Efficient with better air flow and air pressure





DC MOTOR

The hood uses a DC motor that is able to reduce the voltage. It is more energy efficient and hence more savings on electricity.



O-TOUCH

Vogue & sleek design of the 'O-Touch' control with up to 9 extraction speeds.



NEW GENERATION

RCH-SIROCCO X-BL

SIROCCO X



SMART SENSOR & INVISIBLE PANEL

With a wave of your palm at the Smart Sensor, the extraction speed will boost from normal to the highest speed, without having to touch the control panel. The control panel also comes with attractive and invisible buttons that are only visible when it is switched on.



SMART SENSOR DETECTION-
EXTRACTION SPEED BOOST FROM
NORMAL TO THE HIGHEST SPEED




STANDBY MODE-
INVISIBLE PANEL



EASY MAINTENANCE

Clean motor easily without the need to remove the cooker hood from the wall.



3 Remove the motor and clean with water.


1 Open the cover.

2 Twist the center lock clockwise
and dismantle the inner components.



350 INCASSATO

The depth of the cooker hood is in-line with your upper kitchen cabinet depth. You can conceal the ducting section inside the cabinet for a clean & sleeker kitchen view.




SMART CHAMBER WITH QUICK EXTRACTION

The hood is equipped with smart chamber function where the chamber will automatically open when the power is switched on. When the hood is switched off, the chamber will close automatically. The perfect position of the chamber also provides strong extraction that absorbs smoke, grease & odor quicker during cooking.

RCH-SIROCCO X-BL




Type	L - Hood
Suction power	1,500 m3/hr
Control panel type	Sensor Touch
Extraction speed	2 + 1(X-boost)
Oil filter type	-
Oil cup/trap	Yes (outer)
Charcoal filter	✓
Lamp	2 (LED)
Delay timer	✓
Production Dimension (WxDxHmm)	896 x 350 x 1057-1385



RCH-THORA-SS




Type	Pyramid T - Hood
Suction power	1,500 m3/hr
Control panel type	Sensor Touch
Extraction speed	2 + 1(X-boost)
Oil filter type	Hybrid (Patented)
Oil cup/trap	Yes (outer)
Charcoal filter	✓
Lamp	2 (LED)
Delay timer	✓
Production Dimension (WxDxHmm)	896 x 525 x 580-850



RCH-NOVARA-90SS




Type	T - Hood
Suction power	1,500 m3/hr
Control panel type	Sensor Touch
Extraction speed	9
Oil filter type	Ergonomic Baffle
Oil cup/trap	Yes (outer)
Charcoal filter	✓
Lamp	1 (LED)
Delay timer	✓
Production Dimension (WxDxHmm)	895 x 520 x 658-980



RCH-MONZA-SS



Type	T - Hood
Suction power	1,400 m3/hr
Control panel type	Sensor Touch
Extraction speed	3
Oil filter type	Concave
Oil cup/trap	Yes (outer)
Charcoal filter	✓
Lamp	1 (LED)
Delay timer	✓
Production Dimension (WxDxHmm)	896 x 450 x 580-950




RCH-BOXLINE X-90SS



Type	T - Hood
Suction power	1,400 m3/hr
Control panel type	Sensor Touch
Extraction speed	2 + 1(X-boost)
Oil filter type	Pyramidal
Oil cup/trap	Yes (outer)
Charcoal filter	✓
Lamp	2 (LED)
Delay timer	✓

Production Dimension (WxDxHmm)				897 x 511 x 558-808					
	1400m³/hr Suction Power		2+1 Extraction Speed		2 (LED) Lamp		Recirculating		DC-18 Ducting
	X-Boost		Bevel Glass Panel		Invisible Control Panel		Easy Maintenance		




RCH-ASPIRA-90SS



Type	Slanted Hood
Suction power	1,500 m3/hr
Control panel type	Sensor Touch
Extraction speed	2+1 (X-boost)
Oil filter type	Ergonomic Baffle
Oil cup/trap	Yes (Outer)
Charcoal filter	✓
Lamp	1 (LED)
Delay timer	✓

Production Dimension (WxDxH:mm)				895 x 419 x 970-1260			
	1500m³/hr Suction Power		2+1 Extraction Speed		1 (LED) Lamp		Recirculating
	X-Boost		Smart Sensor		Dual Suction	DC-18 Ducting	




RCH-KAVER-SS



Type	T - Hood
Suction power	1,200 m3/hr
Control panel type	Sensor Touch
Extraction speed	2
Oil filter type	Baffle
Oil cup/trap	Yes (inner)
Charcoal filter	✓
Lamp	2 (LED)
Delay timer	✓




Production Dimension (WxDxHmm)		896 x 485 x 550-950		
 1200 m³/hr Suction Power	 2x Extraction Speed	 2 (LED) Lamp	 Recirculating	 DC-18 Ducting




RCH-LESTE-BL



Type	Mini Slanted-hood
Suction power	1,450 m3/hr
Control panel type	Sensor Touch
Extraction speed	2 + 1(X-boost)
Oil filter type	Ergonomic Baffle
Oil cup/trap	Yes (outer)
Charcoal filter	✓
Lamp	2 (LED)
Delay timer	✓


Production Dimension (WxDxHmm)				896 x 350 x 785-1065				
 1450m³/hr Suction Power	 2+1 Extraction Speed	 2 (LED) Lamp	 Recirculating	 X-Boost	 Exchange	 Easy Maintenance	 DC-18 Ducting	 350 Incassato



RCH-MARK-90BL




Type	Slanted Hood
Suction power	1,400 m3/hr
Control panel type	Sensor Touch
Extraction speed	2
Oil filter type	Ergonomic Baffle
Oil cup/trap	Yes (outer)
Charcoal filter	✓
Lamp	1 (LED)
Delay timer	✓
Production Dimension (WxDxHmm)	896 x 443 x 943-1318
1400m³/hr Suction Power	2 Extraction Speed
1 (LED) Lamp	Recirculating
DC-18 Ducting	Quick Extraction



RCH-MARIA-SS




Type	Arch-Glass
Suction power	1,200 m3/hr
Control panel type	Sensor Touch
Extraction speed	3
Oil filter type	Pyramidal
Oil cup/trap	Yes (outer)
Charcoal filter	✓
Lamp	2 (LED)
Delay timer	✓
Production Dimension (WxDxHmm)	896 x 500 x 567-967
1200m³/hr Suction Power	3 Extraction Speed
2 (LED) Lamp	Recirculating
DC-18 Ducting	H2Meltz (heating pad)




COOKER HOOD MAINTENANCE TIPS



SURFACE CLEANING
By using soft cloth & non-abrasive detergent to clean oil and stain on surface regularly to maintain hygiene.



OIL FILTER CLEANING
Empty the oil filter regularly and clean with warm water and non-abrasive detergent to maintain the suction efficiency.



CHARCOAL FILTER
Recommended to replace it at least once a year to ensure peak performance. Charcoal filter is non-washable, you can purchase it with our after-sales department.




HOOD MOTOR
Contact our after-sales department for motor servicing & maintenance at least once a year to ensure consistent suction and performance.


CHOOSING YOUR HOOD

The key is to choose the right cooker hood that fits your cooking style and kitchen layout. Ideally your cooker hood size should be wider or match the width of your hob. Some of the factors you need to consider are:

01 TYPES OF HOOD




T OR ARH GLASS HOB
▪ Wide collection radius




L OR SLANTED HOOD
▪ Quicker extraction

02 TYPES OF DUCTING SYSTEM




DUCT-OUT SYSTEM
▪ With ducting hose
▪ Channel smoke and fume to outside




RECIRCULATING SYSTEM
▪ With charcoal filter to absorb odor and smokes during recirculation
▪ No duct-out is required

RECOMMENDED HOOD INSTALLATION HEIGHT


T - HOOD/
ARCH-GLASS HOOD




SLANTED HOOD



L - HOOD




MINI-SLANTED HOOD



DRITTO FLAME


RGH-ALLORA2B-BL

ALLORA2B



AUTO IGNITION AND FFD PROTECTION

Always choose a gas hob with Auto Ignition for convenience and FFD Protection for safety reason. FFD Protection will automatically cut off gas supply to the hob whenever the flame extinguished accidentally. This is to protect you and your beloved family.



HIGH FLAME POWER UP TO 5.0KW OR HIGHER

The hob comes with 5.0kW flame power to provide adequate heat supply specifically to meet Asian style of cooking.




WIDER DISTANCE FOR LARGER POTS

Having trouble using two big pots at the same time? Our Allora gas hob is designed with wider distance between the burners to enable you to cook conveniently.

RGH-ALLORA2B-BL




Flame power (kW)	L:5.0 R:5.0
Flame style	Dritto / Straight
Surface material	Tempered Glass
Burner Material	Brass
FFD Protection	✓
Ignition	Battery
Type of gas	LPG
Pan support	Cast Iron
Wok stand	✓
Production Dimension (WxDxHmm)	860 x 500
Cut-out Dimension (WxDmm)	824 x 465




RGH-FOTEZ2B-BLFX




Flame power (kW)	L:5.0 R:5.0
Flame style	Dritto / Straight
Surface material	Tempered Glass
Burner Material	Brass
FFD Protection	✓
Ignition	Battery
Type of gas	LPG
Pan support	Cast Iron
Wok stand	Cast Iron
Production Dimension (WxDxHmm)	780 x 460
Cut-out Dimension (WxDmm)	650-725 x 350-415




RGH-LOTOFLEXI2B-BLFX




Flame power (kW)	L:5.0 R:5.0
Flame style	Dritto / Straight
Surface material	Tempered Glass
Burner Material	Brass
FFD Protection	✓
Ignition	Battery
Type of gas	LPG
Pan support	Cast Iron
Wok stand	Cast Iron
Production Dimension (WxDxHmm)	860 x 500
Cut-out Dimension (WxDmm)	700-810 x 400-450




RGH-LOTOFLEXI3B-BLFX




Flame power (kW)	L:5.0 M:1.4 R:5.0
Flame style	Dritto / Straight
Surface material	Tempered Glass
Burner Material	Brass
FFD Protection	✓
Ignition	Battery
Type of gas	LPG
Pan support	Cast Iron
Wok stand	Cast Iron
Production Dimension (WxDxHmm)	860 x 500
Cut-out Dimension (WxDmm)	700-810 x 400-450



RGH-VISTA2B-BL




Flame power (kW)	L:5.0 R:5.0
Flame style	Vortex / Twister
Surface material	Tempered Glass
Burner Material	SS + Brass
FFD Protection	✓
Ignition	Battery
Type of gas	LPG
Pan support	Cast Iron
Wok stand	✓
Production Dimension (WxDxHmm)	760 x 440
Cut-out Dimension (WxDmm)	630 x 330



RGH-VISTA3B-BL




Flame power (kW)	L:5.0 M:2.0 R:5.0
Flame style	Vortex / Twister
Surface material	Tempered Glass
Burner Material	SS + Brass
FFD Protection	✓
Ignition	Battery
Type of gas	LPG
Pan support	Cast Iron
Wok stand	✓
Production Dimension (WxDxHmm)	780 x 460
Cut-out Dimension (WxDmm)	685 x 380




RGH-FIGATA2B-BL




Flame power (kW)	L:5.0 R:5.0
Flame style	Dritto / Straight
Surface material	Tempered Glass
Burner Material	Brass
FFD Protection	✓
Ignition	Battery
Type of gas	LPG
Pan support	Cast Iron
Wok stand	✓
Production Dimension (WxDxHmm)	760 x 460
Cut-out Dimension (WxDmm)	703 x 403



RGH-BRAVA2B-BL




Flame power (kW)	L:4.5 R:4.5
Flame style	Vortex / Twister
Surface material	Tempered Glass
Burner Material	SS + Brass
FFD Protection	✓
Ignition	Battery
Type of gas	LPG
Pan support	Cast Iron
Wok stand	✓
Production Dimension (WxDxHmm)	760 x 440
Cut-out Dimension (WxDmm)	630 x 330



RGH-ENYA2B-SS



Flame power (kW)	L:5.0 R:5.0
Flame style	Dritto / Straight
Surface material	Stainless Steel
Burner Material	Brass
FFD Protection	✓
Ignition	Battery
Type of gas	LPG
Pan support	Cast Iron
Wok stand	✓
Production Dimension (WxDxHmm)	710 x 400
Cut-out Dimension (WxDmm)	630 x 330



ELEGANT DESIGN WITH HIGH FLAME POWER

GAS HOB MAINTENANCE TIPS



GAS HOB SURFACE (GLASS)
Glass surface is easy to clean. Make sure to use only soft cloth / sponge with non-abrasive detergent to avoid damage / scratch the surface.



GAS HOB SURFACE (STAINLESS STEEL)
Clean by using soft cloth / sponge with non-abrasive detergent as detergent with acidic nature might damage / scratch the stainless steel surface.



CLEAN UP SPILL AS SOON AS IT OCCURS
Do not use cold water on hot surface as it will create thermal shock that can reduce the life span of the glass. Handle carefully when surface is hot.



CLEANING OF BURNER RING & STAND
Use soft sponge with non-abrasive detergent to do regular cleaning. Remember to let dry before placing it back to the hob.

CHOOSE YOUR GAS HOB


Glass Surface or Stainless Steel Surface? Here are the factors you might want to consider:



01 MAINTENANCE
Stainless steel is easier to maintain and is more forgiving to impact resistance.



02 DURABILITY
Stainless steel by nature is more robust compared to glass, but are more prone to scratches. With proper care, tempered glass surface can last a long time too.



03 AESTHETIC
Both surfaces cater to suit different kitchen or cabinet designs, be it modern, sophisticated or minimalist.

GAS HOB TROUBLE SHOOTING

01 FAIL TO IGNITE

If your hob fails to ignite, try changing the battery at the bottom of the hob.



02 FLAME IS YELLOWISH

- a. On your first use/ after changing the gas tank, adjust the bottom chamber (Located under the hob) to let in the right amount of oxygen into the hob.
- b. Clean your burner, make sure that the burner is fitted back correctly in position.



ENVIRONMENTAL FRIENDLY

RCE-ASTER72-BL

ASTER72



**SCHOTT
CERAN®**
(GERMANY)

SCHOTT CERAN GLASS

Environmentally friendly, functional, highly durable with incredible quality, Schott Ceran® offers just the right solution for modern cooking.



E.G.O HEATING ELEMENT

We use German technology, E.G.O heating element to ensure the reliability & durability of our ceramic hobs.



RESIDUAL HEAT INDICATOR

Ensuring even greater safety, residual heat warning indicator illuminates to reveal which zones of the hob is radiating heat. As long as the indicator is lit, the particular heating zone must not be touched to avoid scald burn.



OVER HEATING PROTECTION

The hob is equipped with built-in sensor that constantly monitors the temperatures to avoid damage caused by overheating.


CHILD-LOCK

Providing protection against accidental activation or operation of the hob.


RCE-VULCAN44-BL











Type / Series	Ceramic		
Energy Power Level (kW)	L:2.2 R:2.2		
Power Level	9		
Surface Material	Tempered Glass		
Timer	✓		
Safety Lock	✓		
Production Dimension (WxDxHmm)	710 x 410 x 50		
Cut-out Dimension (WxDmm)	680 x 380		
 Safety Lock	 Timer	 Schott Ceran Tempered Glass	 Residual Heat Warning Indicator
 Overheat Protection	 E.G.O Heating Element	 Suitable for 15 AMP plug	




RCH-VALIDO44-BL









Type / Series	Hybrid		
Energy Power Level (kW)	L:2.2 R:2.2		
Power Level	9		
Surface Material	Tempered Glass		
Timer	✓		
Safety Lock	✓		
Production Dimension (WxDxHmm)	730 x 430 x 58		
Cut-out Dimension (WxDmm)	705 x 405		
 Safety Lock	 Timer	 Schott Ceran Tempered Glass	 Residual Heat Warning Indicator
 Overheat Protection	 Booster	 Suitable for 15 AMP plug	



RCE-VULCAN40-BL









Type / Series	Ceramic		
Energy Power Level (kW)	L:1.8 R:2.2		
Power Level	9		
Surface Material	Tempered Glass		
Timer	✓		
Safety Lock	✓		
Production Dimension (WxDxHmm)	730 x 430 x 58		
Cut-out Dimension (WxDmm)	705 x 405		
 Safety Lock	 Timer	 Residual Heat Warning Indicator	 Overheat Protection
 Suitable for 15 AMP plug			




RIH-VELOCE44-BL









Type / Series	Induction		
Energy Power Level (kW)	L:2.2 R:2.2		
Power Level	9		
Surface Material	Tempered Glass		
Timer	✓		
Safety Lock	✓		
Production Dimension (WxDxHmm)	730 x 430 x 58		
Cut-out Dimension (WxDmm)	705 x 405		
 Safety Lock	 Timer	 Schott Ceran Tempered Glass	 Booster
 Suitable for 15 AMP plug			



RCE-VULCAN30-BL




Type / Series	Ceramic
Energy Power Level (kW)	F:1.2 R:1.8
Power Level	9
Surface Material	Tempered Glass
Timer	✓
Safety Lock	✓
Production Dimension (WxDxHmm)	288 x 520 x 52
Cut-out Dimension (WxDmm)	270 x 500
 Safety Lock	 Timer
 Suitable for 13 AMP plug	 Residual Heat Warning Indicator
	 Overheat Protection



RCE-ASTER72-BL




Type / Series	Ceramic
Energy Power Level (kW)	L:1.8 R:1.2
Power Level	9
Control Panel Type	Sensor Touch
Surface Material	Tempered Glass
Timer	0-179 mins
Safety Lock	✓
Production Dimension (WxDxHmm)	700 x 430 x 73
Cut-out Dimension (WxDmm)	670 x 400
 Safety Lock	 Timer
 Overheat Protection	 E.G.O Heating Element
	 Schott Ceran Tempered Glass
	 Suitable for 13 AMP plug
	 Residual Heat Warning Indicator



ELECTRIC HOB MAINTENANCE TIPS



GLASS SURFACE CLEANING
Glass surface is easy to clean. Make sure to use only soft cloth / sponge with non-abrasive detergent to avoid damage / scratch the surface.



CLEAN UP SPILL AS SOON AS IT OCCURS
Do not use cold water on hot surface as it will create thermal shock that can reduce the life span of the glass. Handle carefully when surface is hot.




CLEAN THE BOTTOM OF COOKWARE
Cleanliness of the cookware's bottom is very important as it will affect the heating efficiency.




DO NOT DRAG HEAVY COOKWARE ON THE HOB
Always lift cookware off and never slide or drag across the hob surface as they might cause scratches and damage.


QUALITY ELECTRIC HOB FOR MODERN LIFESTYLE



MAXIMUM EFFICIENCY
Lower energy consumption and less heat loss for shorter cooking time and maximum efficiency.



VERSATILE & CONVENIENT
Large 26cm heating zone to accommodate various cookwares.



LUXURY WITH STYLE
User-friendly interface with sophisticated and elegant design.

Suitable for all types of cookware :

-  Frying Pan
-  Saute Pan
-  Stainless Steel Pot
-  Glassware
-  Wok Pan
-  Grill Pan
-  Claypot
-  Casserole and more...



LARGE CAPACITY

RBO-LAVA-70SS

LAVA




LARGE CAPACITY

The cavity is designed to fit large dishes especially for today busy lifestyle.



A-CLASS ENERGY EFFICIENCY

Our ovens meet global energy efficiency standard, with low energy consumption.



COOLING SYSTEM

To avoid overheating from inside the oven, our ovens come with a cooling system to circulate hot air from the inside to external.



STABLE TEMPERATURE CONTROL

Ensures that your food is always baked evenly. Say goodbye to unstable temperature and uneven-cooked meals.



INNER GLASS PANEL

MIDDLE GLASS PANEL

OUTER GLASS PANEL





QUALITY 3-LAYERS GLASS DOOR

Thanks to three layers of solid glass on the oven door, the surface temperature never exceeds $\pm 70^{\circ}\text{C}$ even during the pyrolytic cycle, when the inner temperature of the oven can reach up to 500°C . During standard cooking, the door's temperature remains as low as $\pm 50^{\circ}\text{C}$.

RBO-LAVA-70SS





Type	Built-in Oven
Cooking Programme / Function	8
Capacity (L)	70
Control Panel	Mechanical
LCD Display	NA
Oven Light	✓
Time Control	✓
Child Lock	NA
Romovable door	✓
Shelf side support	5
Cavity Material	Enamel
Energy Efficiency	A
Production Dimension (WxDxHmm)	595 x 555 x 595



RBO-AVATA2-70SS/S




Type	Built-in Oven
Cooking Programme / Function	8
Capacity (L)	70
Control Panel	Electronic
LCD Display	✓
Oven Light	✓
Time Control	✓
Child Lock	✓
Romovable door	✓
Shelf side support	5
Cavity Material	Enamel
Energy Efficiency	A
Production Dimension (WxDxHmm)	595 x 556.5 x 595



RBO-IA18-70SS




Type	Built-in Oven
Cooking Programme / Function	18
Capacity (L)	70
Control Panel	Electronic
LCD Display	✓
Oven Light	✓
Time Control	✓
Child Lock	✓
Romovable door	✓
Shelf side support	5
Cavity Material	Enamel
Energy Efficiency	A
Production Dimension (WxDxHmm)	594.5 x 545 x 594.5



RBO-IA8X-70SS




Type	Built-in Oven
Cooking Programme / Function	8
Capacity (L)	70
Control Panel	Mechanical + Digital
LCD Display	✓
Oven Light	✓
Time Control	✓
Child Lock	NA
Romovable door	✓
Shelf side support	5
Cavity Material	Enamel
Energy Efficiency	A
Production Dimension (WxDxHmm)	594 x 548 x 594



RBO-IA6X-70SS



Type	Built-in Oven
Cooking Programme / Function	6
Capacity (L)	70
Control Panel	Mechanical
LCD Display	NA
Oven Light	✓
Time Control	✓
Child Lock	NA
Romovable door	✓
Shelf side support	5
Cavity Material	Enamel
Energy Efficiency	A
Production Dimension (WxDxHmm)	594 x 548 x 594



BUILT-IN OVEN MAINTENANCE TIPS



REGULAR CLEANING OF THE OVEN CAVITY
Keep cleanliness of oven cavity every time after using the oven to avoid difficulty in removing hard stains.



CLEANLINESS OF OVEN GLASS DOOR
Use the right degreaser and method to clean the oven glass door. Handle with care as the glass is hot after using the oven.



CHECKING OVEN DOOR GASKET
From time-to-time, please check the gasket to ensure the gasket is in good condition. If the gasket is not in good condition, please contact our after-sales department for replacement of new gasket so that it won't affect the heat efficiency of oven.



THE OVEN KNOBS
Oven knobs and the surrounding areas typically get stained and can be hard to remove. A soft sponge and non-abrasive detergent is the best way to clean. Do not remove the oven knob during the cleaning process as you might accidentally damage it.

YOUR ULTIMATE BUILT-IN OVEN COOKING EXPERIENCE



USER-FRIENDLY
With our simple control panels, you can easily operate oven settings for various cooking modes.



SEE-THROUGH WINDOW
Lighted cavity and large viewable window allows you to see the food preparation easily.



CATALYTIC PANEL
With special catalytic liners inside the oven cavity, these liners are specially treated to trap and absorb grease effectively.



ROTISSERIE & TURNSPIT
Roasting to your perfect tenderness and evenly cooked meat.



BUILT-IN MICROWAVE OVEN

RMO-OREO-28BL

OREO



MICROWAVE AND GRILL COMBINATION

Our microwave comes with Grill function for you to experience more cooking recipes. Even better, you can choose the combination of both microwave + grill.



30-SECOND QUICK START


The microwave oven comes with 30-sec quick start when you want to get your food prepared quickly.




AUTO MENU

Just choose from auto menu & let the microwave oven decides the suitable time & temperature for your food.

RMO-OREO-28BL




Type	Microwave with Grill
Amount of Auto Menu	8
Capacity (L)	28
Control Panel	Electronic
LCD Display	✓
Oven Light	✓
Time Control	✓
Cavity Material	Stainless Steel
Child Lock	✓
Production Dimension (WxDxHmm)	595 x 400 x 388
<div><div>(28)</div>28L Capacity<div></div>8 Auto Menu<div></div>Child Lock<div></div>30 sec Quick Start<div></div>Cooling System</div>	



RMO-934SS-GD34X



Type	Microwave with Grill
Amount of Auto Menu	8
Capacity (L)	34
Control Panel	Electronic
LCD Display	✓
Oven Light	✓
Time Control	✓
Cavity Material	Stainless Steel
Child Lock	✓
Production Dimension (WxDxHmm)	595 x 407.5 x 388
<div><div>(34)</div>34L Capacity<div></div>8 Auto Menu<div></div>Child Lock<div></div>30 sec Quick Start<div></div>Cooling System</div>	



BUILT-IN MICROWAVE OVEN MAINTENANCE TIPS



REGULAR CLEANING OF THE MICROWAVE OVEN CAVITY

Keep cleanliness of the cavity every time after use to avoid difficulty in removing hard stains.



CLEANLINESS OF MICROWAVE OVEN DOOR GLASS

Use the right degreaser and method to clean oven glass door. Handle with care as the glass is hot after using the oven.



CHOOSING THE RIGHT COOKWARE

Normally, ceramic, glass or plastic materials are suitable for microwave, but there are exceptions too. Always refer to the bottom of your cookware to ensure if it is recommended for microwave oven usage.



KNOW WHAT TO PUT INTO MICROWAVE OVEN

Foods like whole egg, chilli pepper, pasta sauce, sausages and etc are not recommended to cook using microwave, as it will create spillover.

ENJOY COOKING WITH OUR VERSATILE BUILT-IN MICROWAVE OVEN



STAINLESS STEEL

Food grade stainless steel material is more durable and easy to maintain.



ELEGANT DESIGN

To complement your modern kitchen design and lifestyle.



USER-FRIENDLY

Simple operation makes cooking easier and time-saving.



COOLING SYSTEM

Stabilizes and maintains the temperature while operating.





OUR WARRANTY



6 YEARS OF WARRANTY
APPLY FOR HOOD MOTOR ONLY.



5 YEARS OF WARRANTY
APPLY FOR TEMPERED GLASS OF GAS HOB ONLY.



18 MONTHS OF
STANDARD WARRANTY
APPLY FOR ALL PRODUCTS EXCLUDING
ACCESSORIES.



1 YEAR OF
WARRANTY EXTENSION
REGISTER ONLINE NOW AND GET
1 YEAR WARRANTY EXTENSION !


ONLINE REGISTRATION

1. Log on to www.rubine.com.my
2. Click on 'Support', followed by 'Products Warranty Registration' to proceed. You're required to sign up as a member.
3. Please fill up the necessary information, tick on the checkbox and click 'Next'.
4. You'll receive notification of warranty registration confirmation via email.
5. Your warranty will be automatically extended for another 1 year upon online registration. Please keep your online warranty certificate for future reference.

* Please find out from our authorized dealers for extended warranty!



Your quality lifestyle begins with Rubine, you can choose from our extensive range of kitchen appliances to blend in perfectly with your kitchen. Our products are designed with the highest quality to serve years of cooking for you and your loved ones.



WAYS TO REACH TO US

Whenever you think of kitchen appliances, please pay a visit to your nearest Rubine store or find us online to get instant inquiry: rubine.com.my



CUSTOMER CARE



AFTER-SALES SERVICE

Contact: 03 – 6286 9000
Email: eqservice@fiamma.com.my



OPERATION HOURS

08.30am – 06.00pm
Monday–Friday, except public holiday

*Product images are for illustration purposes only.



REDEFINE THE WAY OF LIFE

V1.2020

rubine.com.my



FIAMMA TRADING SDN BHD 330476-P [A member of Fiamma Holdings Berhad]

2-1, Wisma Fiamma, No.20, Jalan 7A/62A, Bandar Manjalara, 52200 Kuala Lumpur.



[rubinemalaysia](https://www.facebook.com/rubinemalaysia)



03-6279 9000