

Avant-Garde series

AREZZO




THE ONE HOOD THAT DOES IT ALL

Say goodbye to lingering greasy smells in your kitchen! Our revolutionary **HEXA** Oil Filtration Technology removes over **97%** of oil and grease particles, keeping the air clean and fresh. Perfect for both recirculation and duct-out installation, it delivers phenomenal performance for today's modern homes demand.

17 N H 9888 N N D







HEXA FILTRATION

High Efficiency eXtraction Agent with >97% of oil filtration rate. Ideal for recirculation mode for an oil-free kitchen.



NANOGARDE TECHNOLOGY

- Nano Protection
- Easy Maintenance
- Fingerprint Resistance
- Wipe off stubborn oil & grease with ease

RCH-AREZZO-TG

Features

- Semi-Slanted Hood
- · 2,300 m3/hr Suction Power
- · Intuitive Touch Control Panel
- 1,150Pa High Static Pressure
- 2 + 1 (X-Boost) Extraction Speed
- · Oil Cup / Trap (outer)
- Cylindrical Type Charcoal Filter
- 1 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm) 896 W x 346 D x 796 - 1186 H



BLDC Motor



2,300m3/hr Suction



Extraction

Titanium

Grey





Recirculating



I-Link



(1)

Exchange

NanoGarde



Smart Motion Sensor

Pad)

H²Meltz

(Heating



X-Boost




Filtration



DC-18



Easy



[LP] WM: RM4,240

EM: RM4,500





RGH-CALDO2B-BL

[LP] WM: RM 860 EM:RM 920 wm: RM 4,618

2 ITEMS NOW

EM: RM 4,938

Avant-Garde series

TITAN



Modernize Your Kitchen with Our Cutting-Edge & Revolutionary T-Hood

With its functional and contemporary aesthetics, TITAN complements perfectly with your kitchen space. Embrace its exceptional features, positioning as "The Pinnacle of Futuristic Cooker Hood", combining both Titanium Grey finishing and Champagne Gold embellishment.







BLDC MOTOR

Efficient - High Power Density and Energy-Saving - Noise level as low as 48dB Powerful - High Static Pressure up to 1,050Pa



I-LINK FUNCTION

Intelligence linkage between cooker hood & gas hob. The cooker hood is seamlessly activated when the gas hob is switched on.



TITAN SUCTION PLATE

The innovative & stunningly designed suction plate comes with NanoGarde Protection for effortless removal of smoke & grease.

RCH-TITAN-TGI

Features

- T-Hood
- 1,950 m³/hr Suction Power
- · Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- · Oil Cup / Trap (outer)
- · Charcoal Filter
- 1 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm) 896 W x 455 D x 622 - 992 H



(1)

BLDC Motor



1950m³/hr



Extraction Speed

Titanium





Recirculating



1-Link

Grey



Exchange

NanoGarde



Motion Sensor

Pad)


H²Meltz

X-Boost



Suction






[LP] WM: RM 2,930

EM: RM 3,110

















RGH-CALDO2B-BL

Features

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface SS + Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 760 W x 440 D Cut-out Dimension (mm): 630 W x 330 D

[LP] WM:RM 860 EM:RM 920 2 ITEMS NOW

wm: RM 3,438 EM: RM 3,678

Avant-Garde series

ARTESAN



Trendsetting
Outlook Fused
with
State-of-the-Art
Technologies

Unleash your creativity and enliven a lavish lifestyle with the **ARTESAN** cooker hood. Admire its captivating charms with this new Panello Hood - **ARTESAN**.







NANOGARDE TECHNOLOGY

- Nano Protection
- Easy Maintenance
- Fingerprint Resistance
- Wipe off stubborn oil & grease with ease



TITANIUM GREY BODY WITH **BLACK GLASS PANEL**



CHAMPAGNE GOLD **CONTROL PANEL WITH HIGH-TECH FEATURES AND SMART MOTION SENSOR**

RCH-ARTESAN-TG

Features

- Panello Hood
- 2,050 m³/hr Suction Power
- 48dB Low Noise Level
- 1,100Pa High Static Pressure
- Sensor Touch Control Panel
- · 2 + 1 (X-Boost) Extraction Speed
- · Oil Cup / Trap (outer)
- 1 (LED) Lamp
- · Delay Timer

Technical Info

Product Dimension (mm) 896 W x 320 D x 860 - 1240 H



BLDC Motor

1 (LED)

Lamp



2.050m3/hr Suction



Extraction



NanoGarde























[LP] WM: RM 4,120 EM: RM 4,370

















RGH-CALDO2B-BL

Features

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface
- SS + Brass Burner FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 760 W x 440 D Cut-out Dimension (mm): 630 W x 330 D

[LP] WM:RM 860 EM:RM 920

2 ITEMS NOW

WM: RM 4,508 EM: RM 4,818

Avant-Garde series

ROSSETA



Sleek *Incassato* Design with Intelligent Functions -A Touch of L-Shaped Brilliance with Strong **Extraction Power**


Discover the new Avant-Garde hood -ROSSETA. Enjoy a grease-free kitchen with its auto-lifting quick extraction chamber for enhanced practicality and smart controls explicitly tailored to various cooking needs with silent operation.



Quiet - Noise level as low as 48dB

Powerful - High Static Pressure up to 1,050Pa





AUTO-LIFTING QUICK EXTRACTION CHAMBER

The auto-lifting quick extraction chamber will drop down to clear smoke & grease while cooking and elegantly close when idle.



H²MELTZ TECHNOLOGY

Activate for 10 minutes to melt stubborn grease at 80°C. Cut Down 80% Cleaning Time.



AIR EXCHANGE

Removal of residual smoke & odour in a 3-Cycle Mode within 1 hour to restore fresh air automatically.

RCH-ROSSETA-TGI

Features

- L-Hood
- 2,200 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Oil Cup / Trap
- · Charcoal Filter
- · 2 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm) 900 W x 345 D x 1060 - 1435 H



BLDC Motor



2,200m3/hr Suction



2+1 Extraction

Titanium



2 (LED)



Recirculating

(Heating Pad)



I-Link



NanoGarde



Motion

H²Meltz



X-Boost




Quick Extraction

Exchange



DC-18 Ducting



[LP] WM: RM 3,800 EM: RM 4,030



630











RGH-CALDO2B-BL

Features

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface SS + Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 760 W x 440 D Cut-out Dimension (mm): 630 W x 330 D

[LP] WM:RM 860 EM:RM 920 2 ITEMS NOW

WM: RM 4,208 EM: RM 4,498







TWIN-MOTOR

Customize your cooking experience with wider suction coverage. You can operate each motor individually to perfectly suit your culinary needs.



COOL-BREEZE

Breeze-up your cooking experience

- Feel the cool-breeze with just a touch Improve Comfort
- Provide a soothing breeze and a comfortable cooking environment





- Nanogarde Technology
- Easy Maintenance
- Fingerprint Resistance
- Wipe off stubborn oil & grease with grease

RCH-MEERA-SK

Features

- Slanted Hood
- 2,200 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- · Oil Cup / Trap (outer)
- · Charcoal Filter
- · 2 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm) 900 W x 395 D x 824 - 1153 H



Twin-Motor

2 (LED)

H²Meltz

Smart

Sensor

(Heating Pad)



**))

2200m3/hr Suction



Extraction



Breeze



Exchange



X-Boost










Auto Clean Reminder



[LP] WM: RM3,400 EM: RM 3,600

0











RGH-CALDO2B-BL

Features

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface
- SS + Brass Burner FFD Protection
- Battery Ignition
- LPG Gas Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 760 W x 440 D Cut-out Dimension (mm): 630 W x 330 D

[LP] WM:RM 860 EM:RM 920

2 ITEMS NOW

wm: RM 3,858 EM: RM 4,108






BLDC MOTOR

Efficient - High Power Density and Energy-Saving
Quiet - Noise level as low as 48dB
Powerful - High Static Pressure up to 1,100Pa



CASSETTE CHARCOAL FILTER FOR INTERNAL RECIRCULATION



ION-BALANCER

Anions are produced to balance static charges from pollutants. This will eliminate odours and sanitise the air.

RCH-LUSTRO-BL

Features

- Panello Hood
- 2,050 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Oil Cup / Trap (outer)
- Charcoal Filter
- 1 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm) 900 W x 351 D x 1054 - 1434 H



(1)

BLDC



2050m³/hr Suction



Extraction Speed









X-Boost



H²Meltz

(Heating Pad)


NanoGarde












[LP] WM : RM 3,950 EM : RM 4,190

Rdani



5.2kl 5.2kl Power











RGH-CALDO2B-BL

Features

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface
 SS + Brass Burner
- FFD Protection
- FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 760 W x 440 D Cut-out Dimension (mm): 630 W x 330 D

[LP] WM:RM 860 EM:RM 920 2 ITEMS NOW

WM: RM 4,358 EM: RM 4,658

...







COOL-BREEZE TECHNOLOGY

Cool-Breeze blowing from the upper chamber provides you with a smoothing and comfortable cooking environment.



BEVELED GLASS PANEL

Beveled glass panel brings modernity to your kitchen.





SMART MOTION SENSOR

With a wave of your palm, you can turn ON the X-Boost mode and alter the extraction speeds.

RCH-CASSERA-90BL

Features

- · Compact Slanted Hood
- 1,650 m³/hr Suction Power
- · Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- · Ergonomic Baffle Oil Filter
- · Oil Cup / Trap (outer)
- · Charcoal Filter
- 2 (LED) Lamp
- · Delay Timer

Technical Info

Product Dimension (mm) 900 W x 405 D x 760 - 1050 H



1650m³/hr Suction Power

Cool-Breeze



Extraction Speed



2 (LED) Lamp







Smart






Recirculating




X-Boost





[LP] WM: RM3,040 EM: RM3,220

0















RGH-CALDO2B-BL

Features

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface
- SS + Brass Burner FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 760 W x 440 D Cut-out Dimension (mm): 630 W x 330 D

[LP] WM:RM 860 EM:RM 920

2 ITEMS NOW

WM: RM 3,548 EM:

RM 3,798





H2MELTZ TECHNOLOGY + X-BOOST

Activate for 10 minutes to melt stubborn grease at 80°C. Cut down 80% cleaning time.



QUICK EXTRACTION

The perfect position of the extraction chamber provides powerful suction that absorbs smoke, grease & odour quickly while you cook.



SENSOR TOUCH CONTROL

RCH-NEORA-90BL


Features

- Slanted Hood
- 1,600 m³/hr Suction Power
- · Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- · Ergonomic Baffle Oil Filter
- · Oil Cup/ Trap (outer)
- · Charcoal Filter
- 2 (LED) Lamp
- · Delay Timer

Technical Info

Product Dimension (mm) 896 W x 443 D x 943 - 1318 H

[LP] WM: RM 1,950 EM: RM 2,070





1600m³/hr Suction





2 (LED)



Recirculating



H²Meltz (Heating Pad)





Extraction



Touch







RGH-CALDO2B-BL

[LP] WM: RM 860 EM: RM 920


2 ITEMS NOW WM: RM 2,548

EM: RM 2,728











DUAL-SUCTION

Dual-Suction chamber for excellent & complete extraction.



SMART MOTION SENSOR

With a wave of your palm, you can turn ON/OFF the hood without having to touch the control panel.

RCH-ASPIRA-90SS


Features

- Slanted Hood
- 1,500 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Ergonomic Baffle Oil Filter
- · Oil Cup/ Trap (outer) Charcoal Filter
- 1 (LED) Lamp
- **Delay Timer**

Technical Info

Product Dimension (mm) 895 W x 419 D x 970-1260 H

[LP] WM: RM 2,100 EM: RM 2,230





1500m³/hi Suction



2+1 Extraction



Recirculating















[LP] WM:RM 800 EM:RM 860

RGH-VISTA2B-BL

2 ITEMS NOW

WM: RM 2,628 EM: RM 2,818







CONCAVE SUCTION CHAMBER

For a better smoke extraction coverage.



SMART MOTION SENSOR & X-BOOST

With a wave of your palm, you can turn ON/OFF the hood without having to touch the control panel.



REDISCOVER NEW **ELEGANCE WITH** PREMIUM BLACK OUTLOOK

2+1 Extraction

H²Meltz

(Heating Pad)

Filter

1 (LED)

X-Boost

DC-18

Ducting

RCH-MONZA X-BL


Features

- T Hood
- 1,700 m³/hr Suction Power
- · Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Concave Oil Filter
- · Oil Cup / Trap (outer)
- · Charcoal Filter
- · 1 (LED) Lamp
- · Delay Timer

Technical Info

Product Dimension (mm) 896 W x 455 D x 580 - 950 H

[LP] WM: RM 2,000 EM: RM 2,110





wм: RM 2,568 860 EM: RM 920 EM: RM 2,758

RGH-CALDO2B-BL

2 ITEMS NOW







H²MELTZ TECHNOLOGY

Activate for 10 minutes to melt stubborn grease at 80°C. Cut down 80% cleaning time.



EASY MAGNETIC BAFFLE PLATE

Easily detachable to save time for regular maintenance and cleaning.



DUAL-STEP LED LAMP

Added convenience and better lighting for cooking activities in the kitchen.

RCH-MARK X-BL


Features

- Slanted Hood
- 1,500 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 +1 (X-Boost) Extraction Speed
- Ergonomic Baffle Oil Filter
- · Oil Cup / Trap (outer)
- Charcoal Filter
- 1 (LED) Lamp
- **Delay Timer**

Technical Info

Product Dimension (mm) 896 W x 443 D x 943 - 1318 H

[LP] WM: RM 1,730 EM: RM 1,840





LED

DC-18 Ducting

1500m³/hr Suction

Dual-Step











1 (LED)



DC-18

Ducting









RGH-VISTA2B-BL

[LP] WM: RM 800

EM: RM 860

2 ITEMS NOW

WM: RM 2,308 EM: RM 2,468





H²MELTZ TECHNOLOGY

Activate for 10 minutes to melt stubborn grease at 80°C. Cut down 80% cleaning time.



350 INCASSATO

Control Panel of the hood can now be perfectly in-line with the kitchen cabinet.



OIL-FREE WALL

The design of the cooker hood covers your wall. Hence oil that would otherwise end up on your wall would flow into the designated oil cup.

RCH-SIROCCO XR-BL


Features

- L Hood
- 1,800 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-boost) Extraction Speed
- Oil Cup / Trap (outer)
- Charcoal Filter
- · 2 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm) 896 W x 350 D x 1057 - 1385 H

[LP] WM: RM 2,970 EM: RM 3,150





1800m³/hi Suction





1 (LED)







DC-18 Ducting





Smart Motion







Exchange



350 Incassato



H²Meltz (Heating



[LP] WM: RM 800 EM: RM 860 2 ITEMS NOW

wm: RM 3,398 EM: RM 3,628



2 (LED)

X-Boost





An Essential & Dependable Companion,

where Simplicity Meets Productivity



H²MELTZ TECHNOLOGY

Activate for 10 minutes to melt stubborn grease at 80°C. Cut down 80% cleaning time.



SMART MOTION SENSOR & X-BOOST

With a wave of your palm, you can turn ON/OFF the hood without having to touch the control panel.



EASY MAINTENANCE

RCH-BOXLINE XR-90SS


Features

- T Hood
- 1,600 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Pyramidal Oil Filter
- · Oil Cup / Trap (outer)
- Charcoal Filter
- 2 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm) 897 W x 511 D x 558 - 808 H

[LP] WM: RM 1,810 EM: RM 1,910







1600m³/hi

Recirculating

Suction



DC-18



Extraction

DC-18









RGH-VISTA2B-BL

[LP] WM: RM 800 EM: RM 860 2 ITEMS NOW

wm: RM 2,388 EM: RM 2,558

Avant-Garde SERIES

ARTESAN





PROFESSIONAL CHOICE! FREESTANDING COOKER WITH TWIN-OVEN



ROBUST & VERSATILE

The high-quality range cooker enables you to cook multiple dishes with both gas burners and ovens simultineously.



COOKTOP WITH ITHLIAN SABAF BURNER WITH A FISH BURNER

The FIVE burners with different flame powers.



TWIN-OVEN WITH

83L & 45L CAPACITY

Preparing TWO dishes at the same time!



ROTISSERIE &
TELESCOPIC
RUNNER

Rotisserie ensures the meat is evenly cooked and perfectly browned on all sides. Telescopic Runner ensures a hassle-free, smooth and safe slide out of your dishes from the oven or bastes it.





A user-friendly function that allows you to easily control & adjust the temperature and cooking time.





STORAGE

SABAF

To reduce cooking grease splattering to the kitchen wall.



RRC-GRANDERA-618-SS

LR:1.75 LF:3.7 RR:1.75 RF:1.0 Straight

Stainless Steel SABAF Burner

Electric LPG Cast Iron Cast Iron 600 x 600 x 900

8

67L

1

2

1



RRC-GRANDERA-PRO918-SS

LR:1.75 LF:3.0 M: 3.7 RR:1.75 RF:1.0 Straight

Stainless Steel

SABAF Burner with Fish Burner

Electric LPG Cast Iron Cast Iron 900 x 600 x 900

8

2

1

5

A

Enamel

118L



RRC-GRANDERA-PR0928-SS

LR:1.75 LF:3.0 M: 3.7 RR:1.75 RF:1.0

Straight Stainless Steel

SABAF Burner with Fish Burner

Electric LPG Cast Iron Cast Iron 900 x 600 x 900

83L + 45L

8

2

5

A

3

X

Enamel

Oven Features

Gas Hob Features

Flame Power (kW) Flame Style

Surface Material

Burner Material

FFD Protection Ignition

Type of Gas

Pan Support

Wok Stand

Cooking Programme / Function Capacity (L)

Product Dimension (W x D x H mm)

Electronic Control & Display

Oven Light Time Control Removable Door Shelf Side Support Cavity Material Child Lock Energy Efficiency

Highlight Features

Door Glass Layer Telescopic Runner Cooling System Rotisserie & Turnspit Storage Compartment

Splash Back

8 Cooking Programme / Function:



Lamp



Button Heat with Fan Assisted



Top Heat




Top Grill Top Grill with Fan Assisted



Circular Heat with Fan



Defrosting



















Turnspit

67L

Large Capacity



酚

Quality 3-Layers Glass Door

EM: RM 6,640

Ignition





Flame Failure Devices (FFD) Protection











[LP] WM: RM 9,900 EM: RM 10,590












900



700-770min

900





 $\langle \frac{67}{L} \rangle$









[LP] WM: RM 8,900

EM: RM 9,520





Cooling

[LP] WM: RM 6,200







SERIES



FRET &

CONVERGING

FLAME WITH

CONCENTRA PAN

SUPPORT

BUILT-IN GAS HOB

Experience lightning-fast ignition and converging flame coverage for better burning efficiency and uniform heat distribution.







TOP UP FROM CALDO2B PACKAGE

RGH-FASCO2B-SK

- L:5.5 R:5.5 Flame Power (kW)
 Drifts (State of the Company)
- Dritto / Straight Flame Style
- SETAKERA Glass with Champagne Gold Aluminium Frame
- Brass Burner
- FFD Protection
- **Battery Ignition**
- · LPG Gas
- Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 780 W x 460 D

Cut-out Dimension (mm): 650-750 W x 350-430 D

[LP] WM : RM 1,620 EM : RM 1,740

680 WM:RM 730 EM: RM

RGH-FASCO+2B-86SK

- L:5.5 R:5.5 Flame Power (kW)
- Dritto / Straight Flame Style
- SETAKERA Glass with Champagne Gold Aluminium Frame
- Brass Burner
- FFD Protection
- · Battery Ignition
- · LPG Gas
- Cast Iron Pan Support

Wok Stand

Product Dimension (mm): 860 W x 500 D

Cut-out Dimension (mm): 710-830 W x 410-470 D

WM:RM 1,010 [LP] WM: RM 1,980 1,080 EM: RM

RGH-FASCO+3B-86SK

- L:4.0 M:2.0 R:5.5 Flame Power (kW)
 - Dritto / Straight Flame Style
- SETAKERA Glass with Champagne Gold Aluminium Frame
- Brass Burner
- **FFD Protection**
- Battery Ignition
- · LPG Gas
- · Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 860 W x 500 D

Cut-out Dimension (mm): 710-830 W x 410-470 D

WM:RM [LP] WM: RM 2,160

EM: RM EM: RM 2,320

RGH-FASCO2B-TG

- L:5.5 R:5.5 Flame Power (kW)
- Dritto / Straight Flame Style
- Titanium Grey Stainless Steel Surface
- Brass Burner
- FFD Protection
- Battery Ignition
- · LPG Gas
- Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 780 W x 460 D

Cut-out Dimension (mm): 650-750 W x 350-430 D

[LP] WM: RM 1,660 EM: RM 1,780

WM:RM EM: RM

RGH-FASCO+3B-86TG

L:4.0 M:2.0 R:5.5 Flame Power (kW)


Dritto / Straight Flame Style

- Titanium Grey Stainless Steel Surface
- · Brass Burner
- FFD Protection
- · Battery Ignition
- · LPG Gas
- Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 860 W x 500 D Cut-out Dimension (mm): 710-830 W x 410-470 D

WM:RM [LP] WM: RM 2,220









































SETAKERA Glass with

























710-830













710-830



























PREMIUM

















000



































EM: RM 2,380

EM: RM

RGH-CALDO2B-SS

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Stainless Steel Surface
- Stainless Steel + Brass Burner
- FFD Protection
- · Battery Ignition
- LPG Gas
- · Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 710 W x 400 D Cut-out Dimension (mm): 630 W x 330 D

WM:RM [LP] WM: RM 890

EM:RM 950 EM: RM

RGH-TREZZA2B-SK

- L:6.3 R:6.3 Flame Power (kW)
 - Dritto / Straight Flame Style
 - SETAKERA Glass Surface
 - Brass Burner
 - FFD Protection
 - · Battery Ignition
 - · LPG Gas
 - Cast Iron Pan Support

Wok Stand

Product Dimension (mm): 780 W x 460 D

Cut-out Dimension (mm): 705-740 W x 375-420 D

WM:RM [LP] WM: RM 1,580 EM: RM 1,690 EM: RM

RGH-DAKKA2B-SK

- L:6.3 R:6.3 Flame Power (kW)
- Dritto / Straight Flame Style
- SETAKERA Glass Surface
- Brass Burner
- FFD Protection
- · Battery Ignition
- · LPG Gas
- · Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 860 W x 500 D

Cut-out Dimension (mm): 710-830 W x 410-470 D

[LP] WM: RM 1,880 EM: RM 2,020 WM:RM EM: RM 990

690

RGH-CALDO3B-BL

- L:5.2 M:2.0 R:5.2 Flame Power (kW)
 - Vortex / Twister Flame Style
 - · Tempered Glass Surface
 - · Stainless Steel + Brass Burner
 - FFD Protection
 - Battery Ignition
 - · LPG Gas
 - · Cast Iron Pan Support
- · Wok Stand

Product Dimension (mm): 800 W x 460 D Cut-out Dimension (mm): 680 W x 380 D

[LP] WM: RM 1,160 EM: RM 1,240

WM: RM EM: RM

290


RGH-CALDO3B-SS

- L:5.2 M:2.0 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Stainless Steel Surface
- · Stainless Steel + Brass Burner
- FFD Protection
- · Battery Ignition
- · LPG Gas
- Cast Iron Pan Support
- Wok Stand 욛

Product Dimension (mm): 760 W x 450 D Cut-out Dimension (mm): 680 W x 380 D

WM: RM [LP] WM: RM 1,200 EM: RM 1,290 EM: RM











5.2kW Starte Failure Device (FFD) Battery Ignition Filame Failure Ignition Filame Filame Ignition Skyle With Barricade























SETAKERA Glass Surface

SETAKERA Glass Surface

























































5.2kW Flame Failure Battery Flame Failure Battery Flame Failure Battery Flame F

2-BURNER BUILT-IN GAS HOB

TOP UP FROM VISTA2B PACKAGE

RGH-ENYA2B-SS

- L:5.0 R:5.0 Flame Power (kW)
- Dritto / Straight Flame Style
- Stainless Steel Surface
- Brass Burner
- FFD Protection
- Battery Ignition
- · LPG Gas
- · Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 710 W x 400 D

Cut-out Dimension (mm): 630 W x 330 D

[LP] WM: RM 830

WM:RM 50 EM:RM 890 EM: RM




































RGH-FIGATA2B-BL


- L:5.0 R:5.0 Flame Power (kW)
- · Dritto / Straight Flame Style
- · Tempered Glass Surface
- Brass Burner
- FFD Protection
- Battery Ignition
- · LPG Gas
- · Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 760 W x 460 D Cut-out Dimension (mm): 703 W x 403 D

[LP] WM:RM 830

WM:RM EM: RM EM:RM 890





700-810



















RGH-FOTEZ2B-BLFX

- L:5.0 R:5.0 Flame Power (kW)
- Dritto / Straight Flame Style
- Tempered Glass Surface
- Brass Burner
- FFD Protection
- Battery Ignition
- · LPG Gas
- · Cast Iron Pan Support
- · Cast Iron Wok Stand

Product Dimension (mm): 780 W x 460 D


Cut-out Dimension (mm): 650-725 W x 350-415 D

[LP] WM : RM 1,680 EM : RM 1,800

WM:RM EM: RM

850





- · Tempered Glass Surface
- Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- · Cast Iron Pan Support
- · Cast Iron Wok Stand

Product Dimension (mm): 860 W x 500 D Cut-out Dimension (mm): 700-810 W x 400-450 D

[LP] WM : RM 1,680 EM : RM 1,800

EM:RM

WM:RM 800
















5.0kW Flame Device (FFD) Battery Ignition Style



RGH-VANZO2B-BL

- L:5.0 R:5.0 Flame Power (kW)
- Vortex Flame Style
- Tempered Glass Surface
- · Stainless Steel + Brass Burner
- FFD Protection
- · Battery Ignition
- · LPG Gas
- · Cast Iron Pan Support
- · Wok Stand

Product Dimension (mm): 750 W x 440 D Cut-out Dimension (mm): 650-700 W x 350-400 D


[LP] WM:RM EM: RM 800



3-BURNER BUILT-IN GAS HOB



5.0 s. Flame Failure | Solver | Solver





TOP UP FROM VISTA2B PACKAGE


RGH-VISTA3B-BL

- L:5.0 M:2.0 R:5.0 Flame Power (kW)
- Vortex/ Twister Flame Style
- Tempered Glass Surface
- · Stainless Steel + Brass Burner
- FFD Protection
- · Battery Ignition
- · LPG Gas
- · Cast Iron Pan Support
- Wok Stand


Product Dimension (mm): 780 W x 460 D Cut-out Dimension (mm): 685 W x 380 D

[LP] WM: RM 1,030 EM: RM 1,100 WM:RM EM: RM



















RGH-LOTOFLEXI3B-BLFX

- L:5.0 M:1.4 R:5.0 Flame Power (kW)
- · Dritto / Straight Flame Style
- · Tempered Glass Surface
- · Brass Burner
- FFD Protection
- Battery Ignition
- · LPG Gas
- · Cast Iron Pan Support
- · Cast Iron Wok Stand

Product Dimension (mm): 860 W x 500 D Cut-out Dimension (mm): 700-810 W x 400-450 D

[LP] WM : RM 1,850 EM : RM 1,980

WM:RM EM: RM









RENZO

MAINTENANCE TIPS

(1) GLASS SURFACE CLEANING

Glass surface is easy to clean. Make sure to use only soft cloth / sponge with non-abrasive detergent to avoid damage / scratch the surface.

2 CLEAN UP SPILL AS SOON AS IT OCCURS

Do not use cold water on hot surface as it will create thermal shock that can reduce the life span of the glass. Handle carefully when surface is hot.

3 CLEAN THE BOTTOM T OF COOKWARE

Cleanliness of the cookware's bottom is very important as it will affect the heating efficiency.

DO NOT DRAG HEAVY
COOKWARE ON THE HOB

Always lift cookware off and never slide or drag across the hob surface as they might cause scratches and damage.







RIVOLI

QUALITY ELECTRIC HOB, GUARANTEED.


The perfect addition to all modern kitchens today, bringing functionality and elegance as one.





KONSTEC HEAT CONTROL WITH OVERHEATING PROTECTION

With **KONSTEC** heat control technology, the temperature is electronically controlled to provide constant and more uniform distribution of cooking heat. It also comes with a built-in overheat protection sensor to provide extra safety and avoid the vitro-ceramic glass surface being damaged by overheating.








TOP UP FROM CALDO2B PACKAGE

















W





RCH-RENZO42-BL

Hybrid - Horizontal

L: 2.2 (X-Boost) R: 2.0 Energy Power Level (kW)

9 Power Level

· Vitro-Ceramic Glass Surface Material

Timer

Safety Lock

Product Dimension (mm): 730 W x 430 D x 58 H Cut-out Dimension (mm): 690 W x 390 D

[LP] WM:RM 1,660 EM:RM 1,780

WM:RM / EM:RM

WM:RM 780

840


EM:RM



BUILT-IN CERAMIC HOB

















W







RCE-ROSSE42-BL

Ceramic - Horizontal

 L: 2.0 R: 2.2 (X-Boost) Energy Power Level (kW)

RIH-REKKA44-BL · Induction - Horizontal

9 Power Level

 Timer Safety Lock

 L: 2.2 (X-Boost) R: 2.2 (X-Boost) Energy Power Level (kW)

· Vitro-Ceramic Glass Surface Material

Product Dimension (mm): 730 W x 430 D x 58 H Cut-out Dimension (mm): 690 W x 390 D

9 Power Level

· Vitro-Ceramic Glass Surface Material

Timer

Safety Lock


Product Dimension (mm): 730 W x 430 D x 58 H Cut-out Dimension (mm): 690 W x 390 D

WM:RM / [LP] WM: RM 1,660 EM: RM EM: RM 1,780
























Valido series BUILT-IN HYBRID HOB
































Peloce series BUILT-IN INDUCTION HOB













RCH-VALIDO44-BL

EM: RM 1.850

Hybrid - Horizontal

L: 2.2 (X-Boost) R: 2.2 Energy Power Level (kW)

[LP] WM: RM 1,730

9 Power Level

· Vitro-Ceramic Glass Surface Material

Timer

Safety Lock

Product Dimension (mm): 730 W x 430 D x 58 H Cut-out Dimension (mm): 710 W x 410 D

[LP] WM:RM 2,550 EM:RM 2,730 WM:RM 1.630 EM:RM

RIH-VELOCE44-BL

Induction - Horizontal

L: 2.2 R: 2.2 Energy Power Level (kW)

9 Power Level

· Vitro-Ceramic Glass Surface Material


Timer


Safety Lock

Product Dimension (mm): 730 W x 430 D x 58 H Cut-out Dimension (mm): 710 W x 410 D

WM:RM [LP] WM: RM 2,350 1,440 EM: RM EM: RM 2,520

Veloce series BUILT-IN INDUCTION HOB













RIH-VELOCE58-BL

Induction - European LF: 2.0 LR:1.5 R: 2.3 Energy Power Level (kW)

9 Power Level

· Vitro-Ceramic Glass Surface Material

Timer

Safety Lock

Product Dimension (mm): 590 W x 520 D x 56 H Cut-out Dimension (mm): 560 W x 500 D

[LP] WM: RM 2,080 EM: RM 2,230

WM:RM EM:RM














TOP UP FROM VISTA2B PACKAGE

RIH-VELOCE35-BL

· Induction - Domino

• F: 1.5 R: 2.0 Energy Power Level (kW)

9 Power Level

· Vitro-Ceramic Glass Surface Material

Timer

Safety Lock

Product Dimension (mm): 288 W x 520 D x 52 H Cut-out Dimension (mm): 270 W x 500 D

[LP] WM : RM 1,250 EM : RM 1,340

WM:RM EM:RM

Vulcan series BUILT-IN CERAMIC HOB









Beveled Glass with







RCE-VULCAN30-BL

· Ceramic - Domino

• F: 1.2 R: 1.8

Energy Power Level (kW)

9 Power Level

· Vitro-Ceramic Glass Surface Material

Timer

Safety Lock

Product Dimension (mm): 288 W x 520 D x 52 H Cut-out Dimension (mm): 270 W x 500 D

WM:RM 360

EM:RM

RCE-VULCAN40-BL · Ceramic - Horizontal L: 1.8 R: 2.2

[LP] WM: RM 1,200 EM: RM 1,290

Energy Power Level (kW) 9 Power Level

· Vitro-Ceramic Glass Surface Material

Timer

Safety Lock


Product Dimension (mm): 730 W x 430 D x 58 H Cut-out Dimension (mm): 710 W x 410 D

WM:RM 680 EM:RM

[LP] WM: RM 1,550 EM: RM 1.660

Safety Lock Timer Overheat Protection Protection Warning





















RCE-VULCAN52-BL

Ceramic - European

LF: 1.8 LR: 1.2 R: 2.2 Energy Power Level (kW)

9 Power Level

Vitro-Ceramic Glass Surface Material

Timer

Safety Lock

Product Dimension (mm): 590 W x 520 D x 56 H Cut-out Dimension (mm): 560 W x 500 D

WM:RM [LP] WM : RM 2,000 EM : RM 2,140 EM:RM





MAINTENANCE TIPS

1 REGULAR CLEANING
1 OF INNER CAVITY

Keep cleanliness of the cavity every time after use to avoid difficulty in removing hard stains.

2 CLEANLINESS OF DOOR GLASS

Use the right degreaser and method to clean oven glass door. Handle with care as the glass is hot after using the oven.

3 CHOOSING THE RIGHT COOKWARE

Use only utensils and containers that are approved and labeled for microwave oven use.

(4) KNOW WHAT TO PUT INTO MICROWAVE OVEN

Foods like whole egg, chilli pepper, pasta sauce, sausages and etc are not recommended to cook using microwave, as it will create spillover.





STEAM

- Locks in nutrients and enhance its natural flavour GRILL
- Satisfies your carnivorous craze effortlessly **FERMENTATION**
- Keep temperature at optimum level for dough to proof evenly



50L LARGE CAPACITY

Generously-sized 50L oven accommodates large culinary.



11 COOKING FUNCTIONS

To cater for a variety of cooking.

RSO-SERRA-50BL

Features

- · Steam, Grill & Fermentation Oven
- 11 Cooking Functions
- 50 L Capacity
- Sensor Touch Control Panel
- LCD Display
- Oven Light
- Time Control
- · Enamel Cavity Material
- Child Lock

Technical Info

Product Dimension (mm) 595 W x 565 D x 454 H

[LP] WM: RM5,320 EM: RM5,630 **PWP**

wm: RM 4,788

EM: RM 5,128





50L Capacity



11 Functions



Child Lock



Steam & Grill





























82L LARGE CAPACITY

Generously-sized 82L oven accommodates large culinary.



13 COOKING FUNCTIONS

To cater for a variety of cooking.



INTUITIVE KNOB CONTROL WITH SENSOR TOUCH



82L Capacity



13 Functions



5 Shelves Side Suppo



Quality 3-Layers Glass Door




Cooling



Rotisserie &



Child



LCD Display Oven Light Time Control

Built-in Oven 13 Cooking Functions

82 L Capacity

Features

- · Removable Door
- 5 Shelf Side Support
- · Enamel Cavity Material

RBO-NUOVO-82BL

· Sensor Touch with Knob Control Panel

Technical Info

Product Dimension (mm) 595 W x 566 D x 596 H

[LP] WM: RM3,760 EM: RM3,990 **PWP WM: RM 3,368**

EM: RM 3,608

























Double Grill







AIR FRYER SYSTEM



83L LARGE CAPACITY

Generously-sized 83L oven accommodates large culinary.



3D COOKING EFFECT

RBO-BECCA-83BL

Features

- Built-in Oven
- 10 Cooking Functions
- 83 L Capacity
- Mechanical Control Panel
- Oven Light
- Time Control
- · Removable Door
- 5 Shelf Side Support
- · Enamel Cavity Material
- Technical Info

Product Dimension (mm) 594 W x 498 D x 594 H


[LP] WM: RM 2,530

EM: RM 2,680

PWP

WM: RM 2,268

EM: RM 2,428





83L Capacity



10 Functions



5 Shelves Side Suppo



Quality 3-Layers Glass Door



Cooling



Air Fryer



3D Cooking
























BUILT-IN OVEN






















Rotisserie & Turnspit






































RBO-CAVO-60BL

Features

- Built-in Oven
- 7 Cooking Functions
- 60 L Capacity
- Mechanical Control Panel
- Oven Light
- Time Control
- Removable Door
- 5 Shelf Side Support
- **Enamel Cavity Material**
- A-Class Energy Efficiency

Technical Info

Product Dimension (mm) 594 W x 498 D x 594 H

[LP] WM: RM 1,650 EM: RM 1,750

PWP

wм: RM 1,488

RM 1,598 EM:

RBO-LAVA-70SS

Features

- · Built-in Oven
 - 8 Cooking Functions
- 70 L Capacity
- Mechanical Control Panel
- Oven Light
- Time Control
- Removable Door
- 5 Shelf Side Support
- **Enamel Cavity Material**
- A-Class Energy Efficiency

Technical Info

Product Dimension (mm) 595 W x 555 D x 595 H

[LP] WM: RM2,110 EM: RM 2,230

PWP

wм: RM 1,898

RM 2,038 EM:

RBO-IA8X-70SS

Features

- Built-in Oven
- 8 Cooking Functions
- 70 L Capacity
- Mechanical + Digital Control Panel
- LCD Display
- Oven Light
- Time Control
- Removable Door
- 5 Shelf Side Support
- **Enamel Cavity Material**
- A-Class Energy Efficiency

Technical Info

Product Dimension (mm) 594 W x 548 D x 594 H

[LP] WM: RM 2,790 EM: RM 2,960 **PWP**

wм: RM 2,508

EM: RM 2,688




































RMO-OREO-28BL

Features

- · Built-in Microwave with Grill
- 8 Auto Menu
- 28 L Capacity
- · Electronic Control Panel
- LCD Display
- Oven Light
- Time Control
- · Stainless Steel Cavity Material
- Child Lock

Technical Info

Features

· 8 Auto Menu · 34 L Capacity

· LCD Display Oven Light

Time Control

Product Dimension (mm) 595 W x 400 D x 388 H

[LP] WM: RM 1,440

· Built-in Microwave with Grill

· Electronic Control Panel

· Stainless Steel Cavity Material

EM: RM 1,530

RMO-934SS-GD34X


PWP

EM:

WM: RM 1,298

RM 1,388





Technical Info

· Child Lock

Product Dimension (mm) 595 W x 407.5 D x 388 H

[LP] WM: RM 1,750

EM: RM 1,860

PWP

WM: RM 1,578 EM: RM 1,688















ONLINE REGISTRATION

- ① Log on to www.rubine.com.my
- ② Click on 'Support', followed by 'Warranty Registration' to proceed. You're required to sign up as a member.
- 3 Please fill up the necessary information, tick on the checkbox and click 'Sign Up'.
- You'll receive notification of warranty registration confirmation via email.
- § Your warranty will be automatically extended for another 1 year upon online registration. Please keep your online warranty certificate
 for future services.
 - * Please find out from our authorized dealers for extented warranty!

OUR WARRANTY



6 YEARS OF WARRANTY

APPLICABLE ON HOOD MOTOR ONLY.



5 YEARS OF WARRANTY

APPLICABLE ON TEMPERED GLASS OF GAS HOB ONLY.



18 MONTHS OF STANDARD WARRANTY

APPLICABLE ON ALL PRODUCTS EXCLUDING ACCESSORIES.



1 YEAR OF WARRANTY EXTENSION

REGISTER ONLINE NOW AND GET 1 YEAR WARRANTY EXTENSION!

CUSTOMER CARE & WAYS TO REACH TO US



AFTER-SALES SERVICE

Contact: 03 – 6286 9000 Email: eqservice@fiamma.com.my



OPERATION HOURS

08.30am – 06.00pm Monday–Friday, except public holiday





WAYS TO REACH US

Whenever you think of kitchen appliances, please pay a visit to your nearest Rubine store or find us online to get instant inquiry: rubine.com.my

^{*}Product images for illustration purposes only.



REDEFINE THE WAY OF LIFE

2025 V.2

