

Rubine™

ITALIA

REDEFINE THE WAY OF LIFE

CATALOGUE 2025 V.2

CULINARY EXPERIENCE
REDEFINED

Avant-Garde SERIES

AREZZO



**THE ONE HOOD
THAT DOES IT ALL**

Say goodbye to lingering greasy smells in your kitchen! Our revolutionary **HEXA** Oil Filtration Technology removes over **97%** of oil and grease particles, keeping the air clean and fresh. Perfect for both recirculation and duct-out installation, it delivers phenomenal performance for today's modern homes demand.





HEXA FILTRATION

High Efficiency eXtraction Agent with >97% of oil filtration rate. Ideal for recirculation mode for an oil-free kitchen.

*Based on factory lab test report on RCH-AREZZO-TG oil filtration rate



NANOGARDE TECHNOLOGY

- Nano Protection
- Easy Maintenance
- Fingerprint Resistance
- Wipe off stubborn oil & grease with ease

RCH-AREZZO-TG


Features

- Semi-Slanted Hood
- 2,300 m³/hr Suction Power
- Intuitive Touch Control Panel
- 1,150Pa High Static Pressure
- 2 + 1 (X-Boost) Extraction Speed
- Oil Cup / Trap (outer)
- Cylindrical Type Charcoal Filter
- 1 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm)
896 W x 346 D x 796 - 1186 H

BLDC Motor	2,300m ³ /hr Suction Power 2300 m ³ /hr	2+1 Extraction Speed 2+1 SPEED
1 (LED) Lamp 1x	Recirculating	Titanium Grey
NanoGarde	H-Meltz (Heating Pad)	I-Link
Air Exchange	Smart Motion Sensor	X-Boost
HEXA Filtration	DC-18 Ducting	Easy Maintenance



[LP] WM : RM4,240
EM : RM4,500



RGH-CALDO2B-BL

[LP] WM : RM 860
EM : RM 920

2 ITEMS NOW

WM : **RM 4,618**
EM : **RM 4,938**

Avant-Garde SERIES

TITAN

NEW

Modernize Your
Kitchen with Our
Cutting-Edge &
Revolutionary
T-Hood

With its functional and contemporary aesthetics, **TITAN** complements perfectly with your kitchen space. Embrace its exceptional features, positioning as "The Pinnacle of Futuristic Cooker Hood", combining both Titanium Grey finishing and Champagne Gold embellishment.





BLDC MOTOR

Efficient - High Power Density and Energy-Saving
Quiet - Noise level as low as 48dB
Powerful - High Static Pressure up to 1,050Pa



I-LINK FUNCTION

Intelligence linkage between cooker hood & gas hob. The cooker hood is seamlessly activated when the gas hob is switched on.



TITAN SUCTION PLATE

The innovative & stunningly designed suction plate comes with NanoGarde Protection for effortless removal of smoke & grease.

RCH-TITAN-TGI

Features


- T-Hood
- 1,950 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Oil Cup / Trap (outer)
- Charcoal Filter
- 1 (LED) Lamp
- Delay Timer

Technical Info


Product Dimension (mm)

896 W x 455 D x 622 - 992 H

BLDC Motor	1950m ³ /hr Suction Power	2+1 Extraction Speed
1 (LED) Lamp	Recirculating	Titanium Grey
NanoGarde	H-Meltz (Heating Pad)	I-Link
Air Exchange	Smart Motion Sensor	X-Boost
Titan Suction Plate	DC-18 Ducting	



[LP] WM : RM 2,930
 EM : RM 3,110



RGH-CALDO2B-BL

Features

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface
- SS + Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 760 W x 440 D
 Cut-out Dimension (mm): 630 W x 330 D

1.2kW Flame Power	Flame Failure Device (FFD) Protection	Battery Ignition	Vortex Flame Style	Pan Support With Wok Barbecue
-------------------	---------------------------------------	------------------	--------------------	-------------------------------

[LP] WM : RM 860
 EM : RM 920

2 ITEMS NOW

WM : RM 3,438
 EM : RM 3,678

Avant-Garde SERIES

ROSSETA

NEW

Sleek *Incassato*
Design with
Intelligent
Functions -
A Touch of
L-Shaped Brilliance
with Strong
Extraction Power

Discover the new Avant-Garde hood - **ROSSETA**. Enjoy a grease-free kitchen with its auto-lifting quick extraction chamber for enhanced practicality and smart controls explicitly tailored to various cooking needs with silent operation.



- **BLDC MOTOR**
Efficient - High Power Density and Energy-Saving
Quiet - Noise level as low as 48dB
Powerful - High Static Pressure up to 1,050Pa





AUTO-LIFTING QUICK EXTRACTION CHAMBER

The auto-lifting quick extraction chamber will drop down to clear smoke & grease while cooking and elegantly close when idle.



H²MELTZ TECHNOLOGY

Activate for 10 minutes to melt stubborn grease at 80°C. Cut Down 80% Cleaning Time.



AIR EXCHANGE

Removal of residual smoke & odour in a 3-Cycle Mode within 1 hour to restore fresh air automatically.

RCH-ROSSETA-TGI

Features


- L-Hood
- 2,200 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Oil Cup / Trap
- Charcoal Filter
- 2 (LED) Lamp
- Delay Timer

Technical Info


Product Dimension (mm)

900 W x 345 D x 1060 - 1435 H

BLDC Motor	2,200m ³ /hr Suction Power	2+1 Extraction Speed
2 (LED) Lamp	Recirculating	Titanium Grey
NanoGarde	H ² Meltz (Heating Pad)	i-Link
Air Exchange	Smart Motion Sensor	X-Boost
Quick Extraction	DC-18 Ducting	



[LP] WM : RM 3,800
EM : RM 4,030



RGH-CALDO2B-BL

Features

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface
- SS + Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 760 W x 440 D

Cut-out Dimension (mm): 630 W x 330 D

5.2kW Flame Power	Flame Failure Device (FFD) Protection	Battery Ignition	Vortex Flame Style	Pan Support With Wind Barbecue
-------------------	---------------------------------------	------------------	--------------------	--------------------------------

[LP] WM : RM 860
EM : RM 920

2 ITEMS NOW

WM : RM 4,208
EM : RM 4,498

OFFER APPLY TO AVANT-GARDE SERIES

KITCHEN HOOD

Cool-Breeze SERIES

MEERA

NEW

Powerful
Performance.
Twin-Motor,
Double Delights!

SUCTION
2,200
m³/hr
POWER

INTUITIVE GRAPHICAL DISPLAY





TWIN-MOTOR

Customize your cooking experience with wider suction coverage. You can operate each motor individually to perfectly suit your culinary needs.



COOL-BREEZE

Breeze-up your cooking experience
 - Feel the cool-breeze with just a touch
Improve Comfort
 - Provide a soothing breeze and a comfortable cooking environment



SETAKERA™ GLASS

- Nanogarde Technology
 - Easy Maintenance
 - Fingerprint Resistance
 - Wipe off stubborn oil & grease with grease

RCH-MEERA-SK


Features

- Slanted Hood
- 2,200 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Oil Cup / Trap (outer)
- Charcoal Filter
- 2 (LED) Lamp
- Delay Timer


Technical Info

Product Dimension (mm)
 900 W x 395 D x 824 - 1153 H

Twin-Motor	2200m ³ /hr Suction Power	2+1 Extraction Speed
2 (LED) Lamp	Recirculating	Cool-Breeze
H ^M Meltz (Heating Pad)	i-Link	Air Exchange
Smart Motion Sensor	Ion-Balancer	X-Boost
NanoGarde	DC-18 Ducting	Auto Clean Reminder



[LP] WM : RM 3,400
 EM : RM 3,600



RGH-CALDO2B-BL

Features

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface
- SS + Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 760 W x 440 D
 Cut-out Dimension (mm): 630 W x 330 D

1.2kW Flame Power	Flame Failure Device (FFD) Protection	Battery Ignition	Vortex Flame Style	Pan Support With Wind Barriade
-------------------	---------------------------------------	------------------	--------------------	--------------------------------

[LP] WM : RM 860
 EM : RM 920

2 ITEMS NOW
 WM : RM 3,868
 EM : RM 4,118

OFFER APPLY TO COOL-BREEZE SERIES

KITCHEN HOOD

Cool-Breeze SERIES

LUSTRO

NEW

Redefine Urban Kitchens with Sleek, Contemporary & Efficient Panello Hood


Contemporary & highly efficient, a perfect match
for urban kitchens. Redefining cooking space
with modern flairs.






BLDC MOTOR

Efficient - High Power Density and Energy-Saving
Quiet - Noise level as low as 48dB
Powerful - High Static Pressure up to 1,100Pa



CASSETTE CHARCOAL FILTER FOR INTERNAL RECIRCULATION



ION-BALANCER

Anions are produced to balance static charges from pollutants. This will eliminate odours and sanitise the air.

RCH-LUSTRO-BL

Features


- Pannelo Hood
- 2,050 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Oil Cup / Trap (outer)
- Charcoal Filter
- 1 (LED) Lamp
- Delay Timer

Technical Info


Product Dimension (mm)

900 W x 351 D x 1054 - 1434 H

BLDC Motor	2050m ³ /hr Suction Power	2+1 Extraction Speed
1 (LED) Lamp	Recirculating	Cool-Breeze
H ⁺ Meltz (Heating Pad)	i-Link	Air Exchange
Smart Motion Sensor	Ion-Balancer	X-Boost
NanoGarde	DC-18 Ducting	



[LP] WM : RM 3,950
EM : RM 4,190



RGH-CALDO2B-BL

Features

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface
- SS + Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 760 W x 440 D

Cut-out Dimension (mm): 630 W x 330 D

5.2kW Flame Power	Flame Failure Device (FFD) Protection	Battery Ignition	Vortex Flame-Style	Pan Support With Wok Barbecue
-------------------	---------------------------------------	------------------	--------------------	-------------------------------

[LP] WM : RM 860
EM : RM 920

2 ITEMS NOW

WM : RM 4,338
EM : RM 4,608

OFFER APPLY TO COOL-BREEZE SERIES

NEW

Rubine™
ITALIA

Cool-Breeze SERIES
CASSERA X

REFRESHING AIR
FOR A GREASE-FREE
KITCHEN

HEXA
Technology



>95%* Oil Filtration Rate

Effortless Filter
Maintenance

Easy to remove, clean,
& reinstall.



Long-life Motor Protection

Only purified air reaches the motor
— no oily buildup, less maintenance.



Optimized
Airflow System

Stable, efficient suction for
consistently cleaner kitchen air.



Dishwasher-Friendly

Hassle-free cleaning for
everyday convenience.



*Based on factory lab test report on RCH-CASSERA X-SK oil filtration rate.

NEORA



Minimalist and Premium Matte Black Cooker Hood



H²MELTZ TECHNOLOGY + X-BOOST

Activate for 10 minutes to melt stubborn grease at 80°C. Cut down 80% cleaning time.



QUICK EXTRACTION

The perfect position of the extraction chamber provides powerful suction that absorbs smoke, grease & odour quickly while you cook.



SENSOR TOUCH CONTROL

RCH-NEORA-90BL


Features

- Slanted Hood
- 1,600 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Ergonomic Baffle Oil Filter
- Oil Cup/ Trap (outer)
- Charcoal Filter
- 2 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm)
896 W x 443 D x 943 - 1318 H

[LP] WM : RM 1,950
EM : RM 2,070



1600m³/hr Suction Power	2+1 Extraction Speed	2 (LED) Lamp
Recirculating	H²Meltz (Heating Pad)	X-Boost
Quick Extraction	Sensor Touch Control	DC-18 Ducting



RGH-CALDO2B-BL

[LP] WM : RM 860
EM : RM 920

2 ITEMS NOW

WM : **RM 2,548**
EM : RM 2,728

NEW KITCHEN HOOD

MONZA X



The Rebirth of An Icon:
Unveiling the New MONZA X



CONCAVE SUCTION CHAMBER

For a better smoke extraction coverage.



SMART MOTION SENSOR & X-BOOST

With a wave of your palm, you can turn ON/OFF the hood without having to touch the control panel.



MODERN & MINIMALIST DESIGN

REDISCOVER NEW ELEGANCE WITH PREMIUM BLACK OUTLOOK

RCH-MONZA X-BL


Features

- T - Hood
- 1,700 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Concave Oil Filter
- Oil Cup / Trap (outer)
- Charcoal Filter
- 1 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm)
896 W x 455 D x 580 - 950 H

[LP] WM : RM 2,000
EM : RM 2,110



1700m³/hr Suction Power



2+1 Extraction Speed



1 (LED) Lamp



Recirculating



H7 Meltz (Heating Pad)



X-Boost



Smart Motion Sensor



Concave Filter



DC-18 Ducting



RGH-CALDO2B-BL

[LP] WM : RM 860
EM : RM 920

2 ITEMS NOW

WM : **RM 2,568**
EM : **RM 2,758**

NEW

MARK X



Experience the New MARK X
Where Modern Advancements
Bond with Simplified Maintenance


RCH-MARK X-BL

Features

- Slanted Hood
- 1,500 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 +1 (X-Boost) Extraction Speed
- Ergonomic Baffle Oil Filter
- Oil Cup / Trap (outer)
- Charcoal Filter
- 1 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm)
896 W x 443 D x 943 - 1318 H
[LP] WM : RM 1,550
EM : RM 1,650



- | | | | | | |
|--|--------------------------------------|--|------------------------------|--|------------------------------------|
| | 1500m ³ /hr Suction Power | | 2+1 Extraction Speed | | 1 (LED) Lamp |
| | Dual-Step LED | | Recirculating | | H ² Meltz (Heating Pad) |
| | X-Boost | | Easy Removeable Filter Plate | | Quick Extraction |
| | DC-18 Ducting | | | | |



RGH-VISTA2B-BL

[LP] WM : RM 780
EM : RM 830

2 ITEMS NOW

WM : **RM 2,088**
EM : **RM 2,228**



H²MELTZ TECHNOLOGY

Activate for 10 minutes to melt stubborn grease at 80°C. Cut down 80% cleaning time.



EASY MAGNETIC BAFFLE PLATE

Easily detachable to save time for regular maintenance and cleaning.



DUAL-STEP LED LAMP

Added convenience and better lighting for cooking activities in the kitchen.

NEW

KITCHEN HOOD

SIROCCO XR

Premium Matte Black Finish



Enjoy Smoke-Free Quick Extraction Performance with 350 Incassato Design



H²MELTZ TECHNOLOGY

Activate for 10 minutes to melt stubborn grease at 80°C. Cut down 80% cleaning time.



350 INCASSATO

Control Panel of the hood can now be perfectly in-line with the kitchen cabinet.



OIL-FREE WALL

The design of the cooker hood covers your wall. Hence oil that would otherwise end up on your wall would flow into the designated oil cup.

RCH-SIROCCO XR-BL


Features

- L - Hood
- 1,800 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-boost) Extraction Speed
- Oil Cup / Trap (outer)
- Charcoal Filter
- 2 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm)
896 W x 350 D x 1057 - 1385 H

[LP] WM : RM 2,400
EM : RM 2,550



1800m³/hr Suction Power	2+1 Extraction Speed	1 (LED) Lamp
Recirculating	Quick Extraction	DC-18 Ducting
X-Boost	Smart Motion Sensor	Invisible Control Panel
Easy Maintenance	Air Exchange	350 Incassato
H²Meltz (Heating Pad)		



RGH-VISTA2B-BL

[LP] WM : RM 780
EM : RM 830

2 ITEMS NOW

WM : RM 2,848
EM : RM 3,038

BOXLINE XR



An Essential & Dependable Companion,
where Simplicity Meets Productivity


RCH-BOXLINE XR-90SS

Features

- T - Hood
- 1,600 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Pyramidal Oil Filter
- Oil Cup / Trap (outer)
- Charcoal Filter
- 2 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm)
897 W x 511 D x 558 - 808 H
[LP] WM : RM 1,620
EM : RM 1,720



1600 m ³ /hr Suction Power	2+1 Extraction Speed	2 (LED) Lamp
Recirculating	DC-18 Ducting	X-Boost
Beveled Glass Panel	Invisible Control Panel	Easy Maintenance
Smart Motion Sensor	H ² Meltz (Heating Pad)	



RGH-VISTA2B-BL

[LP] WM : RM 780
EM : RM 830

2 ITEMS NOW

WM : **RM 2,148**
EM : **RM 2,298**



H²MELTZ TECHNOLOGY

Activate for 10 minutes to melt stubborn grease at 80°C. Cut down 80% cleaning time.



SMART MOTION SENSOR & X-BOOST

With a wave of your palm, you can turn ON/OFF the hood without having to touch the control panel.



EASY MAINTENANCE

MAINTENANCE TIPS

1 SURFACE CLEANING

By using soft cloth & non-abrasive detergent to clean oil and stain on surface regularly to maintain hygiene.

2 OIL FILTER CLEANING

Empty the oil tray and clean baffle filter with warm water regularly and non-abrasive detergent to maintain the suction efficiency.


3 CHARCOAL FILTER

Recommended to replace it at least once a year to ensure peak performance. Charcoal filter is non-washable, you can purchase it with our after-sales department.

4 HOOD MOTOR

Contact our after-sales department for motor servicing & maintenance at least once a year to ensure consistent suction and performance.

RECOMMENDED HOOD INSTALLATION HEIGHT



* For proper installation, kindly refer to the user manual for the specific model.

NEW

RANGE COOKER

GRANDERA

Range Cooker

PROFESSIONAL CHOICE! FREESTANDING COOKER WITH TWIN-OVEN



ROBUST & VERSATILE

The high-quality range cooker enables you to cook multiple dishes with both gas burners and ovens simultaneously.



COOKTOP WITH ITALIAN

SABAF BURNER WITH FISH BURNER

The FIVE burners with different flame powers.



TWIN-OVEN WITH 83L & 45L CAPACITY

Preparing TWO dishes at the same time!



GRILL & COOK



ROTISSERIE & TELESCOPIC RUNNER

Rotisserie ensures the meat is evenly cooked and perfectly browned on all sides. Telescopic Runner ensures a hassle-free, smooth and safe slide out of your dishes from the oven or bastes it.

TOUCH ME!



SENSOR TOUCH CONTROL & TIMER

A user-friendly function that allows you to easily control & adjust the temperature and cooking time.

SPLASHBACK



SPLASHBACK DESIGN

To reduce cooking grease splattering to the kitchen wall.



RRC-GRANDERA-618-SS



RRC-GRANDERA-PRO918-SS



RRC-GRANDERA-PRO928-SS

Gas Hob Features

Flame Power (kW)
Flame Style
Surface Material
Burner Material
FFD Protection
Ignition
Type of Gas
Pan Support
Wok Stand
Product Dimension (W x D x H mm)

LR:1.75 LF:3.7 RR:1.75 RF:1.0
Straight
Stainless Steel
SABAF Burner
✓
Electric
LPG
Cast Iron
Cast Iron
600 x 600 x 900

LR:1.75 LF:3.0 M: 3.7 RR:1.75 RF:1.0
Straight
Stainless Steel
SABAF Burner with Fish Burner
✓
Electric
LPG
Cast Iron
Cast Iron
900 x 600 x 900

LR:1.75 LF:3.0 M: 3.7 RR:1.75 RF:1.0
Straight
Stainless Steel
SABAF Burner with Fish Burner
✓
Electric
LPG
Cast Iron
Cast Iron
900 x 600 x 900

Oven Features

Cooking Programme / Function
Capacity (L)
Electronic Control & Display
Oven Light
Time Control
Removable Door
Shelf Side Support
Cavity Material
Child Lock
Energy Efficiency

8
67L
✓
2
✓
✓
5
Enamel
✓
A

8
118L
✓
2
✓
✓
5
Enamel
✓
A

8
83L + 45L
✓
2
✓
✓
5
Enamel
✓
A


Highlight Features

Door Glass Layer
Telescopic Runner
Cooling System
Rotisserie & Turnspit
Storage Compartment
Splash Back

3
✓
✓
✓
✓
✓
✓

3
✓
✓
✓
✓
✓
✓


3
✓
✓
X
✓
✓
✓



67L Large Capacity SABAF Burner



118L Large Capacity SABAF Burner + Fish Burner



Grandera Twin-Oven 83L & 45L Capacity SABAF Burner + Fish Burner

8 Cooking Programme / Function:

- Lamp
- Top & Bottom Heat
- Button Heat with Fan Assisted
- Top Heat
- Top Grill
- Top Grill with Fan Assisted
- Circular Heat with Fan
- Defrosting

Features apply to all models above:

- Flame Power up to 3.7kW
- Electric Ignition
- Flame Failure Devices (FFD) Protection
- 8 Functions
- Sensor Touch
- Timer
- Telescopic Runner
- Rotisserie & Turnspit
- Quality 3-Layers Glass Door
- A-Class Energy Efficiency
- Child Lock
- 5 Shelves
- Cooling System
- Splashback Design

[LP] WM : RM 6,200
EM : RM 6,640

[LP] WM : RM 8,900
EM : RM 9,520

[LP] WM : RM 9,900
EM : RM 10,590

BUILT-IN GAS HOB

LAFOSS SERIES



• Enhances Combustion Efficiency

Better heat efficiency that helps reduce gas consumption and lowers harmful carbon monoxide emissions, contributing to a healthier environment.



• Minimizes the Risk of Glass Explosion

Improves airflow and maintains stable heat distribution, ensuring a safer cooking environment.



DURABLE BRASS BURNER

Corrosion resistance and long-lasting



EUROPEAN STYLE HEAVY DUTY PAN SUPPORT



REMOVABLE FOR EASY CLEANING



ENAMEL COATED DRIP PAN

Anti-rust and anti-scratch



INSTANT SMART IGNITION



TOP AIR INTAKE

Stable flame performance

Easy maintenance

Minimizes the risk of glass explosion

Better heat efficiency





I-LINK CONNECTIVITY

Seamlessly activates the hood when the hob is turned on.



TITANIUM GREY ALUMINIUM FRAME




SMART TIMER



PREMIUM METAL KNOB

Heat resistance material



FLEXI CUT-OUT

Fit a range of countertop opening without further modification needed

SE TAKERA™ GLASS



NANOGARDE TECHNOLOGY


- Nano Protection
- Easy Maintenance
- Fingerprint Resistance
- Wipe off stubborn oil and grease with ease

BUILT-IN GAS HOB

NEW VERRA



PREMIUM 6MM
SETAKERA™



- 5.2kW Flame Power
- Flame Failure Device (FFD) Protection
- Battery Ignition
- Dritto Flame Style
- Smart Ignition
- Nano Coating
- Fingerprint Resistance
- Flexi Cut-Out

RGH-VERRA2B-SK

- Features
- L:5.2 R:5.2 Flame Power (kW)
 - 6mm SETAKERA Glass
 - Brass Burner Cap
 - Metal Steel Pan Support
 - Stainless Steel Drip Pan
 - Zinc Alloy Knob


Technical Info
Product Dimension (mm): 780 W x 450 D
Cut-out Dimension (mm): 630-700 W x 330-400 D

[LP] WM : RM1,050
EM : RM1,120

NEW ASPEN



PREMIUM 6MM
SETAKERA™
Glass with Titanium Grey Aluminium Frame



- 5.2kW Flame Power
- Flame Failure Device (FFD) Protection
- Battery Ignition
- Dritto Flame Style
- Squirrel Design Pan Support
- Smart Ignition
- Nano Coating
- Fingerprint Resistance
- Flexi Cut-Out
- Titanium Grey Aluminium Frame

RGH-ASPEN2B-SK

- Features
- L:5.2 R:5.2 Flame Power (kW)
 - 6mm SETAKERA Glass
 - Titanium Grey Aluminium Frame
 - Brass Burner Cap
 - Large Metal Steel Pan Support
 - Stainless Steel Drip Pan
 - Zinc Alloy Knob


Technical Info
Product Dimension (mm): 780 W x 450 D
Cut-out Dimension (mm): 630-700 W x 330-400 D

[LP] WM : RM1,250
EM : RM1,340

NEW LAFOSS SERIES



PREMIUM 8MM
SETAKERA™
Glass with Titanium Grey Aluminium Frame



- 5.0kW Flame Power
- Flame Failure Device (FFD) Protection
- Battery Ignition
- Dritto Flame Style
- Cast Iron Pan Support
- Top Air Intake
- Instant Ignition
- I-Link
- Nano Coating
- Fingerprint Resistance
- Smart Timer (L)
- Flexi Cut-Out
- Premium Metal Knob
- Titanium Grey Aluminium Frame

RGH-LAFOSS2B-SK


- Features
- L:5.0 R:5.0 Flame Power (kW)
 - 8mm SETAKERA Glass
 - Titanium Grey Aluminium Frame
 - Top Air Intake
 - Brass Burner Cap + Cast Iron Pan Support
 - Matte Enamel Drip Pan + Premium Metal Knob
 - Timer (Left-side knob only)
 - Instant Ignition
 - I-link Connectivity

Technical Info
Product Dimension (mm): 860 W x 510 D
Cut-out Dimension (mm): 700-810 W x 400-460 D

[LP] WM : RM2,280
EM : RM2,440



PREMIUM 8MM
SETAKERA™
Glass with Titanium Grey Aluminium Frame



- 5.0kW Flame Power
- Flame Failure Device (FFD) Protection
- Battery Ignition
- Dritto Flame Style
- Cast Iron Pan Support
- Top Air Intake
- Instant Ignition
- I-Link
- Nano Coating
- Fingerprint Resistance
- Smart Timer (L)
- Flexi Cut-Out
- Premium Metal Knob
- Titanium Grey Aluminium Frame

RGH-LAFOSS3B-SK

- Features
- L:5.0 M:1.8 R:5.0 Flame Power (kW)
 - 8mm SETAKERA Glass
 - Titanium Grey Aluminium Frame
 - Top Air Intake
 - Brass Burner Cap + Cast Iron Pan Support
 - Matte Enamel Drip Pan + Premium Metal Knob
 - Timer (Left-side knob only)
 - Instant Ignition
 - I-link Connectivity

Technical Info
Product Dimension (mm): 860 W x 500 D
Cut-out Dimension (mm): 700-810 W x 400-460 D

[LP] WM : RM2,480
EM : RM2,660



FASCO

SERIES

GAS HOB

MAINTENANCE TIPS

① **GAS HOB SURFACE
(GLASS)**

Glass surface is easy to clean. Make sure to use only soft cloth / sponge with non-abrasive detergent to avoid damage / scratch the surface.

② **GAS HOB SURFACE
(STAINLESS STEEL)**

Clean by using soft cloth / sponge with non-abrasive detergent as detergent with acidic nature might damage / scratch the stainless steel surface.

③ **CLEAN UP SPILL AS
SOON AS IT OCCURS**

Do not use cold water on hot surface as it will create thermal shock that can reduce the life span of the glass. Handle carefully when surface is hot.

④ **CLEANING OF BURNER
RING & STAND**

Use soft sponge with non-abrasive detergent to do regular cleaning. Remember to let dry before placing it back to the hob.

GAS HOB

FASCO

SERIES



**FAST &
CONVERGING
FLAME** WITH
CONCENTRA PAN
SUPPORT
BUILT-IN GAS HOB

Experience lightning-fast ignition and converging flame coverage for better burning efficiency and uniform heat distribution.



Premium


**TITANIUM GREY
STAINLESS STEEL
SURFACE**

5.5kW



CONCENTRA PAN SUPPORT

WIND & HEAT SHIELD



NEW

Premium
SETAKERA
GLASS SURFACE

NANO COATING
Easy cleaning & reduce water mark

FINGERPRINT RESISTANCE



SMART TIMER WITH BATTERY INDICATOR



NEW

BLACK WATER TRAY FOR PREMIUM AESTHETIC




FASCO FLAME
Higher dritto style flame provides concentrate and powerful heat distribution.



CONCENTRA PAN SUPPORT
Enhanced thermal efficiency up to 63% and effectively reduces external wind interference.



CHAMPAGNE GOLD ALUMINIUM FRAME



3-BURNERS PARABOLIC DESIGN
Parabolic design for a more versatile cooking space.

GAS HOB


FASCO SERIES

3-BURNER SERIES

3-BURNER SERIES




PREMIUM SETAKERA Glass with Champagne Gold Aluminium Frame



- 5.5kW Flame Power
- Flame Failure Device (FFD) Protection
- Battery Ignition
- FASCO Dritto Flame Style
- Concentra Pan Support
- Champagne Gold Aluminium Frame
- Smart Ignition
- I-Link
- Nano Coating
- Fingerprint Resistance



PREMIUM SETAKERA Glass with Champagne Gold Aluminium Frame



- 5.5kW Flame Power
- Flame Failure Device (FFD) Protection
- Battery Ignition
- FASCO Dritto Flame Style
- Concentra Pan Support
- Champagne Gold Aluminium Frame
- Smart Ignition
- I-Link
- Smart Timer (L/R)
- Nano Coating
- Fingerprint Resistance




PREMIUM SETAKERA Glass with Champagne Gold Aluminium Frame



- 5.5kW Flame Power
- Flame Failure Device (FFD) Protection
- Battery Ignition
- FASCO Dritto Flame Style
- Concentra Pan Support
- Champagne Gold Aluminium Frame
- Smart Ignition
- I-Link
- Smart Timer (L/R)
- 3-Burners Parabolic Design
- Nano Coating
- Fingerprint Resistance



PREMIUM Titanium Grey Stainless Steel Surface



- 5.5kW Flame Power
- Flame Failure Device (FFD) Protection
- Battery Ignition
- FASCO Dritto Flame Style
- Concentra Pan Support
- Smart Ignition
- I-Link



PREMIUM Titanium Grey Stainless Steel Surface



- 5.5kW Flame Power
- Flame Failure Device (FFD) Protection
- Battery Ignition
- FASCO Dritto Flame Style
- Concentra Pan Support
- Smart Ignition
- I-Link
- Smart Timer (L/R)
- 3-Burners Parabolic Design
- Nano Coating
- Fingerprint Resistance

RGH-FASCO2B-SK

- Features**
- L:5.5 R:5.5 Flame Power (kW)
 - Dritto / Straight Flame Style
 - SETAKERA Glass with Champagne Gold Aluminium Frame
 - Brass Burner
 - FFD Protection
 - Battery Ignition
 - LPG Gas
 - Cast Iron Pan Support
 - Wok Stand

Technical Info
Product Dimension (mm): 780 W x 460 D
Cut-out Dimension (mm): 650-750 W x 350-430 D

[LP] WM : RM 1,620 WM : RM **680**
EM : RM 1,740 EM : RM **730**

RGH-FASCO+2B-86SK

- Features**
- L:5.5 R:5.5 Flame Power (kW)
 - Dritto / Straight Flame Style
 - SETAKERA Glass with Champagne Gold Aluminium Frame
 - Brass Burner
 - FFD Protection
 - Battery Ignition
 - LPG Gas
 - Cast Iron Pan Support
 - Wok Stand

Technical Info
Product Dimension (mm): 860 W x 500 D
Cut-out Dimension (mm): 710-830 W x 410-470 D

[LP] WM : RM 1,980 WM : RM **1,010**
EM : RM 2,120 EM : RM **1,080**

RGH-FASCO+3B-86SK

- Features**
- L:4.0 M:2.0 R:5.5 Flame Power (kW)
 - Dritto / Straight Flame Style
 - SETAKERA Glass with Champagne Gold Aluminium Frame
 - Brass Burner
 - FFD Protection
 - Battery Ignition
 - LPG Gas
 - Cast Iron Pan Support
 - Wok Stand

Technical Info
Product Dimension (mm): 860 W x 500 D
Cut-out Dimension (mm): 710-830 W x 410-470 D

[LP] WM : RM 2,160 WM : RM **1,170**
EM : RM 2,320 EM : RM **1,260**

RGH-FASCO2B-TG

- Features**
- L:5.5 R:5.5 Flame Power (kW)
 - Dritto / Straight Flame Style
 - Titanium Grey Stainless Steel Surface
 - Brass Burner
 - FFD Protection
 - Battery Ignition
 - LPG Gas
 - Cast Iron Pan Support
 - Wok Stand

Technical Info
Product Dimension (mm): 780 W x 460 D
Cut-out Dimension (mm): 650-750 W x 350-430 D

[LP] WM : RM 1,660 WM : RM **720**
EM : RM 1,780 EM : RM **770**

RGH-FASCO+3B-86TG

- Features**
- L:4.0 M:2.0 R:5.5 Flame Power (kW)
 - Dritto / Straight Flame Style
 - Titanium Grey Stainless Steel Surface
 - Brass Burner
 - FFD Protection
 - Battery Ignition
 - LPG Gas
 - Cast Iron Pan Support
 - Wok Stand

Technical Info
Product Dimension (mm): 860 W x 500 D
Cut-out Dimension (mm): 710-830 W x 410-470 D

[LP] WM : RM 2,220 WM : RM **1,220**
EM : RM 2,380 EM : RM **1,310**

TOP UP

TOP UP

TOP UP

TOP UP

TOP UP

RGH-FASCO2B-SS

Features

- L:5.5 R:5.5 Flame Power (kW)
- Dritto / Straight Flame Style
- Titanium Grey Stainless Steel Surface
- Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 780 W x 460 D
Cut-out Dimension (mm): 650-750 W x 350-430 D

[LP] WM : RM 1,630 WM : RM **660**
EM : RM 1,750 EM : RM **700**

RGH-FASCO+3B-86SS

Features

- L:4.0 M:2.0 R:5.5 Flame Power (kW)
- Dritto / Straight Flame Style
- Titanium Grey Stainless Steel Surface
- Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 860 W x 500 D
Cut-out Dimension (mm): 710-830 W x 410-470 D

[LP] WM : RM 2,200 WM : RM **1,170**
EM : RM 2,360 EM : RM **1,240**

TOP UP FROM **VISTA2B** PACKAGE

RGH-ENYA2B-SS

Features

- L:5.0 R:5.0 Flame Power (kW)
- Dritto / Straight Flame Style
- Stainless Steel Surface
- Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 710 W x 400 D
Cut-out Dimension (mm): 630 W x 330 D

[LP] WM : RM 830 WM : RM **30**
EM : RM 890 EM : RM **30**

RGH-FIGATA2B-BL

Features

- L:5.0 R:5.0 Flame Power (kW)
- Dritto / Straight Flame Style
- Tempered Glass Surface
- Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 760 W x 460 D
Cut-out Dimension (mm): 703 W x 403 D

[LP] WM : RM 830 WM : RM **30**
EM : RM 890 EM : RM **30**

RGH-LOTOFLEXI2B-BLFX






Features

- L:5.0 R:5.0 Flame Power (kW)
- Dritto / Straight Flame Style
- Tempered Glass Surface
- Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Cast Iron Wok Stand

Technical Info

Product Dimension (mm): 860 W x 500 D
Cut-out Dimension (mm): 700-810 W x 400-450 D

[LP] WM : RM 1,680 WM : RM **800**
EM : RM 1,800 EM : RM **850**



TOP UP

TOP UP


TOP UP

TOP UP

TOP UP

CALDO SERIES / 2-BURNER / 3-BURNER GAS HOB

TOP UP FROM CALDO2B PACKAGE



- 5.2kW Flame Power
- Flame Failure Device (FFD) Protection
- Battery Ignition
- Vortex Flame Style
- Pan Support With Wind Barricade

RGH-CALDO2B-SS

- Features**
- L:5.2 R:5.2 Flame Power (kW)
 - Vortex / Twister Flame Style
 - Stainless Steel Surface
 - Stainless Steel + Brass Burner
 - FFD Protection
 - Battery Ignition
 - LPG Gas
 - Cast Iron Pan Support
 - Wok Stand
- Technical Info**
- Product Dimension (mm): 710 W x 400 D
 - Cut-out Dimension (mm): 630 W x 330 D

[LP] WM : RM 890 WM : RM
EM : RM 950 EM : RM

30 TOP UP



- 6.3kW Flame Power
- 8-Flame Level
- Battery Ignition
- Flame Failure Device (FFD) Protection
- TRIO Ring
- Dritto Flame Style
- Smart/ Auto Ignition
- Flexi Cut-out
- I-Link
- Nano Coating
- Fingerprint Resistance

RGH-TREZZA2B-SK

- Features**
- L:6.3 R:6.3 Flame Power (kW)
 - Dritto / Straight Flame Style
 - SETAKERA Glass Surface
 - Brass Burner
 - FFD Protection
 - Battery Ignition
 - LPG Gas
 - Cast Iron Pan Support
 - Wok Stand
- Technical Info**
- Product Dimension (mm): 780 W x 460 D
 - Cut-out Dimension (mm): 705-740 W x 375-420 D

[LP] WM : RM 1,580 WM : RM 650
EM : RM 1,690 EM : RM 690

650 TOP UP





- 6.3kW Flame Power
- 8-Flame Level
- Battery Ignition
- Flame Failure Device (FFD) Protection
- TRIO Ring
- Dritto Flame Style
- Timer
- Smart/ Auto Ignition
- Flexi Cut-out
- I-Link
- Nano Coating
- Fingerprint Resistance

RGH-DAKKA2B-SK

- Features**
- L:6.3 R:6.3 Flame Power (kW)
 - Dritto / Straight Flame Style
 - SETAKERA Glass Surface
 - Brass Burner
 - FFD Protection
 - Battery Ignition
 - LPG Gas
 - Cast Iron Pan Support
 - Wok Stand
- Technical Info**
- Product Dimension (mm): 860 W x 500 D
 - Cut-out Dimension (mm): 710-830 W x 410-470 D

[LP] WM : RM 1,880 WM : RM 920
EM : RM 2,020 EM : RM 990

920 TOP UP




- 5.2kW Flame Power
- Flame Failure Device (FFD) Protection
- Battery Ignition
- Vortex Flame Style
- Pan Support With Wind Barricade

RGH-CALDO3B-BL

- Features**
- L:5.2 M:2.0 R:5.2 Flame Power (kW)
 - Vortex / Twister Flame Style
 - Tempered Glass Surface
 - Stainless Steel + Brass Burner
 - FFD Protection
 - Battery Ignition
 - LPG Gas
 - Cast Iron Pan Support
 - Wok Stand
- Technical Info**
- Product Dimension (mm): 800 W x 460 D
 - Cut-out Dimension (mm): 680 W x 380 D

[LP] WM : RM 1,160 WM : RM 270
EM : RM 1,240 EM : RM 290

270 TOP UP



- 5.2kW Flame Power
- Flame Failure Device (FFD) Protection
- Battery Ignition
- Vortex Flame Style
- Pan Support With Wind Barricade

RGH-CALDO3B-SS

- Features**
- L:5.2 M:2.0 R:5.2 Flame Power (kW)
 - Vortex / Twister Flame Style
 - Stainless Steel Surface
 - Stainless Steel + Brass Burner
 - FFD Protection
 - Battery Ignition
 - LPG Gas
 - Cast Iron Pan Support
 - Wok Stand
- Technical Info**
- Product Dimension (mm): 760 W x 450 D
 - Cut-out Dimension (mm): 680 W x 380 D

[LP] WM : RM 1,200 WM : RM 300
EM : RM 1,290 EM : RM 320

300 TOP UP



GAS HOB

FASCO SERIES

2-BURNER SERIES

3-BURNER SERIES

2-BURNER BUILT-IN GAS HOB



NEW

RGH-VANZO2B-BL

- Features**
- L:5.0 R:5.0 Flame Power (kW)
 - Vortex Flame Style
 - Tempered Glass Surface
 - Stainless Steel + Brass Burner
 - FFD Protection
 - Battery Ignition
 - LPG Gas
 - Cast Iron Pan Support
 - Wok Stand
- Technical Info**
- Product Dimension (mm): 750 W x 440 D
Cut-out Dimension (mm): 650-700 W x 350-400 D



[LP] WM : RM 750
EM : RM 800

VANZO


POWERFUL FLAME WITH CONCENTRA PAN SUPPORT

EVEN HEAT DISTRIBUTION

Enjoy perfect cooking experience with powerful flames & even heat distribution.

GAS HOB

3-BURNER BUILT-IN GAS HOB



TOP UP FROM **VISTA2B** PACKAGE


RGH-VISTA3B-BL

- Features**
- L:5.0 M:2.0 R:5.0 Flame Power (kW)
 - Vortex/ Twister Flame Style
 - Tempered Glass Surface
 - Stainless Steel + Brass Burner
 - FFD Protection
 - Battery Ignition
 - LPG Gas
 - Cast Iron Pan Support
 - Wok Stand
- Technical Info**
- Product Dimension (mm): 780 W x 460 D
Cut-out Dimension (mm): 685 W x 380 D

[LP] WM : RM 1,000 WM : RM **210**
EM : RM 1,060 EM : RM **220**

TOP UP

VANZO SERIES



RGH-LOTOFLEXI3B-BLFX

- Features**
- L:5.0 M:1.4 R:5.0 Flame Power (kW)
 - Dritto / Straight Flame Style
 - Tempered Glass Surface
 - Brass Burner
 - FFD Protection
 - Battery Ignition
 - LPG Gas
 - Cast Iron Pan Support
 - Cast Iron Wok Stand
- Technical Info**
- Product Dimension (mm): 860 W x 500 D
Cut-out Dimension (mm): 700-810 W x 400-450 D

[LP] WM : RM 1,800 WM : RM **950**
EM : RM 1,920 EM : RM **1,010**

TOP UP

2-BURNER SERIES

3-BURNER SERIES

NEW

ELECTRIC HOB

R-series

PREMIUM ELECTRIC HOB WITH VETRO KERA GLASS

RENZO NEW

MAINTENANCE TIPS

1 GLASS SURFACE CLEANING

Glass surface is easy to clean. Make sure to use only soft cloth / sponge with non-abrasive detergent to avoid damage / scratch the surface.

2 CLEAN UP SPILL AS SOON AS IT OCCURS

Do not use cold water on hot surface as it will create thermal shock that can reduce the life span of the glass. Handle carefully when surface is hot.

3 CLEAN THE BOTTOM OF COOKWARE

Cleanliness of the cookware's bottom is very important as it will affect the heating efficiency.

4 DO NOT DRAG HEAVY COOKWARE ON THE HOB

Always lift cookware off and never slide or drag across the hob surface as they might cause scratches and damage.





Rubine

0888

Rubine

Scullery

Rubine

ELECTRIC HOB

NEW

ELECTRIC HOB

RIVOLI


QUALITY ELECTRIC HOB, GUARANTEED.

The perfect addition to all modern kitchens today, bringing functionality and elegance as one.



KONSTEC HEAT CONTROL WITH OVERHEATING PROTECTION


With **KONSTEC** heat control technology, the temperature is electronically controlled to provide constant and more uniform distribution of cooking heat. It also comes with a built-in overheat protection sensor to provide extra safety and avoid the vitro-ceramic glass surface being damaged by overheating.



VETRO KERA™

VETRO KERA GLASS

- Evolutionary Glass Surface Design
- Fingerprint & Scratch Resistance
- Exceptional Craftmanship



- Safety Lock
- Timer
- Residual Heat Warning Indicator
- Overheat Protection
- KONSTEC Heat Control
- Booster
- Champagne Gold Aluminium Frame

TOP UP FROM **CALDO2B** PACKAGE

BUILT-IN HYBRID HOB

RCH-RIVOLI57-BL

- Hybrid - Horizontal
- L: 2.0 (X-Boost) M: 1.7 (X-Boost) R: 2.0
- Energy Power Level (kW)
- 9 Power Level
- Vitro-Ceramic Glass Surface Material
- Timer
- Safety Lock

Product Dimension (mm): 760 W x 430 D
 Cut-out Dimension (mm): 710 W x 410 D

[LP] WM : RM 1,930 WM : RM 960
 EM : RM 2,070 EM : RM 1,030

TOP UP

ELECTRIC HOV R-SERIES


R-series / V-series

PREMIUM ELECTRIC HOB WITH 11 THERMISTOR ELEMENTS

PREMIUM ELECTRIC HOB WITH 11 THERMISTOR HEAT CONTROL

TOP UP FROM CALDO2B PACKAGE
NEW RENZO BUILT-IN HYBRID HOB


VETRO KERA
VETRO KERA Glass
with Champagne Gold
Aluminium Frame


RCH-RENZO42-BL

- Features**
- Hybrid - Horizontal
 - L: 2.2 (X-Boost) R: 2.0
 - Energy Power Level (kW)
 - 9 Power Level
 - Vitro-Ceramic Glass Surface Material
 - Timer
 - Safety Lock


Technical Info
Product Dimension (mm): 730 W x 430 D x 58 H
Cut-out Dimension (mm): 690 W x 390 D

[LP] WM : RM 1,660 WM : RM **720**
EM : RM 1,780 EM : RM **770**

TOP UP

NEW ROSSE BUILT-IN CERAMIC HOB


VETRO KERA
VETRO KERA Glass
with Champagne Gold
Aluminium Frame


RCE-ROSSE42-BL

- Features**
- Ceramic - Horizontal
 - L: 2.0 R: 2.2 (X-Boost)
 - Energy Power Level (kW)
 - 9 Power Level
 - Vitro-Ceramic Glass Surface Material
 - Timer
 - Safety Lock


Technical Info
Product Dimension (mm): 730 W x 430 D x 58 H
Cut-out Dimension (mm): 690 W x 390 D

[LP] WM : RM 1,660 WM : RM **720**
EM : RM 1,780 EM : RM **770**

TOP UP

NEW REKKA BUILT-IN INDUCTION HOB


VETRO KERA
VETRO KERA Glass
with Champagne Gold
Aluminium Frame


RIH-REKKA44-BL

- Features**
- Induction - Horizontal
 - L: 2.2 (X-Boost) R: 2.2 (X-Boost)
 - Energy Power Level (kW)
 - 9 Power Level
 - Vitro-Ceramic Glass Surface Material
 - Timer
 - Safety Lock


Technical Info
Product Dimension (mm): 730 W x 430 D x 58 H
Cut-out Dimension (mm): 690 W x 390 D

[LP] WM : RM 1,730 WM : RM **780**
EM : RM 1,850 EM : RM **840**

TOP UP

Valido series BUILT-IN HYBRID HOB


SCHOTT CERAN®
Beveled Glass with
Aluminium Frame


RCH-VALIDO44-BL

- Features**
- Hybrid - Horizontal
 - L: 2.2 (X-Boost) R: 2.2
 - Energy Power Level (kW)
 - 9 Power Level
 - Vitro-Ceramic Glass Surface Material
 - Timer
 - Safety Lock


Technical Info
Product Dimension (mm): 730 W x 430 D x 58 H
Cut-out Dimension (mm): 710 W x 410 D

[LP] WM : RM 2,550 WM : RM **1,520**
EM : RM 2,730 EM : RM **1,630**

TOP UP

Veloce series BUILT-IN INDUCTION HOB


SCHOTT CERAN®
Beveled Glass with
Aluminium Frame


RIH-VELOCE44-BL

- Features**
- Induction - Horizontal
 - L: 2.2 R: 2.2
 - Energy Power Level (kW)
 - 9 Power Level
 - Vitro-Ceramic Glass Surface Material
 - Timer
 - Safety Lock

Technical Info
Product Dimension (mm): 730 W x 430 D x 58 H
Cut-out Dimension (mm): 710 W x 410 D


[LP] WM : RM 2,350 WM : RM **1,340**
EM : RM 2,520 EM : RM **1,440**

TOP UP

Veloce series BUILT-IN INDUCTION HOB



Aluminium Frame



- Safety Lock
- Timer
- Overheat Protection
- Residual Heat Warning Indicator
- AL Aluminium Frame

RIH-VELOCE58-BL

- Features**
- Induction - European
 - LF: 2.0 LR:1.5 R: 2.3
 - Energy Power Level (kW)
 - 9 Power Level
 - Vitro-Ceramic Glass Surface Material
 - Timer
 - Safety Lock


Technical info
 Product Dimension (mm): 590 W x 520 D x 56 H
 Cut-out Dimension (mm): 560 W x 500 D

[LP] WM : RM 2,080 WM : RM **1,100**
 EM : RM 2,230 EM : RM **1,180**

TOP UP



- Safety Lock
- Timer
- Overheat Protection
- Residual Heat Warning Indicator



TOP UP FROM **VISTA2B** PACKAGE

RIH-VELOCE35-BL

- Features**
- Induction - Domino
 - F: 1.5 R: 2.0
 - Energy Power Level (kW)
 - 9 Power Level
 - Vitro-Ceramic Glass Surface Material
 - Timer
 - Safety Lock

Technical info
 Product Dimension (mm): 288 W x 520 D x 52 H
 Cut-out Dimension (mm): 270 W x 500 D


[LP] WM : RM 1,180 WM : RM **410**
 EM : RM 1,260 EM : RM **440**

TOP UP

Vulcan series BUILT-IN CERAMIC HOB



- Safety Lock
- Timer
- Overheat Protection
- Residual Heat Warning Indicator
- KONSTEC Heat Control



RCE-VULCAN30-BL

- Features**
- Ceramic - Domino
 - F: 1.2 R: 1.8
 - Energy Power Level (kW)
 - 9 Power Level
 - Vitro-Ceramic Glass Surface Material
 - Timer
 - Safety Lock

Technical info
 Product Dimension (mm): 288 W x 520 D x 52 H
 Cut-out Dimension (mm): 270 W x 500 D


[LP] WM : RM 1,120 WM : RM **360**
 EM : RM 1,190 EM : RM **380**

TOP UP



Beveled Glass with Aluminium Frame

- Safety Lock
- Timer
- Overheat Protection
- Residual Heat Warning Indicator
- KONSTEC Heat Control
- Beveled Glass
- AL Aluminium Frame



RCE-VULCAN40-BL

- Features**
- Ceramic - Horizontal
 - L: 1.8 R: 2.2
 - Energy Power Level (kW)
 - 9 Power Level
 - Vitro-Ceramic Glass Surface Material
 - Timer
 - Safety Lock

Technical info
 Product Dimension (mm): 730 W x 430 D x 58 H
 Cut-out Dimension (mm): 710 W x 410 D


[LP] WM : RM 1,460 WM : RM **680**
 EM : RM 1,550 EM : RM **730**

TOP UP



Aluminium Frame

- Safety Lock
- Timer
- Overheat Protection
- Residual Heat Warning Indicator
- AL Aluminium Frame
- KONSTEC Heat Control



RCE-VULCAN52-BL

- Features**
- Ceramic - European
 - LF: 1.8 LR: 1.2 R: 2.2
 - Energy Power Level (kW)
 - 9 Power Level
 - Vitro-Ceramic Glass Surface Material
 - Timer
 - Safety Lock

Technical info
 Product Dimension (mm): 590 W x 520 D x 56 H
 Cut-out Dimension (mm): 560 W x 500 D

[LP] WM : RM 2,000 WM : RM **1,090**
 EM : RM 2,140 EM : RM **1,160**

TOP UP



MAINTENANCE TIPS

1 REGULAR CLEANING OF INNER CAVITY

Keep cleanliness of the cavity every time after use to avoid difficulty in removing hard stains.

2 CLEANLINESS OF DOOR GLASS

Use the right degreaser and method to clean oven glass door. Handle with care as the glass is hot after using the oven.

3 CHOOSING THE RIGHT COOKWARE

Use only utensils and containers that are approved and labeled for microwave oven use.

4 KNOW WHAT TO PUT INTO MICROWAVE OVEN

Foods like whole egg, chilli pepper, pasta sauce, sausages and etc are not recommended to cook using microwave, as it will create spillover.

NEW

Microwave, Steam, Grill & Fermentation Oven

AXORA



ALL-IN-ONE MICROWAVE STEAM OVEN WITH INVERTER TECHNOLOGY

MICROWAVE PRO+
(INVERTER TECH)



INVERTER TECH



TRADITIONAL




- Precise & continuous power for even heating. No on-off power pulsing.



SLOW STEAM

- Low-temperature steam cooking for delicate dishes, delivering slow and even heat.



FULL STEAM

- Pure steam cooking for maximum moisture retention and preserved nutrition.



STEAM PLUS

- Adds steam during roasting and baking for a crispy golden exterior while keeping the inside tender and juicy.



STEAM CLEANING

- High-temperature steam softens stubborn stains for effortless cleaning.

NEW

Microwave, Steam, Grill & Fermentation Oven

AXORA

**ONE OVEN
FOR EVERY OCCASION**

BENEFITS OF CERAMIC ENAMEL CAVITY

 Hygienic


 Easy to clean

 Durable

RCO-AXORA-50BL

- > Microwave, Steam, Grill & Fermentation Oven
- > 50L Capacity
- > 19 Cooking Functions
- > LED Display + Touch Control
- > Oven Light
- > Time Control
- > Removable Door
- > 5 Shelf Side Support
- > Enamel Cavity Material
- > 230 V ~ 50 Hz Rated Voltage/ Frequency
- > 1,700 W Microwave Input
- > 800 W Microwave Output
- > 1,700 W Convection
- > 2,200 W Grill
- > 3,350 W Maximum Input

> Accessories




x1
Grill Rack



x1
Baking Tray
(Enamel)

> Product Dimension (mm)
595 W x 454 H x 568 D



LP WM : RM 5,710
EM : RM 6,110

PWP WM : RM 5,138
EM : RM 5,498

> Features

 50L Capacity

 21 Auto Menu

 Touch Control

 5 Shelves Side Support

 Quality 3-Layers Glass Door

 Cooling System

 Lamp

 Preheating

 Energy Efficiency A+

 20% Less Power Consumption

 Child Lock

 Seamless Ceramic Enamel Cavity

> 19 Cooking Function

 Steam

 Conventional + Steam

 Double Grill + Fan

 Microwave

 Lower Heater Element

 Double Grilling

 Defrost

 Conventional

 Radiant Grilling Fan

 Fermentation

 Convection

 MW + Lower Heater Element + Convection

 Lower Heater Element + Convection

 Conventional + Fan

 MW + Lower Heater Element + Convection

 MW + Convection

 MW + Steam

 Double Grill + Fan + Steam

 MW + Double Grill + Fan

 Convection + Steam

 MW + Double Grill + Fan

 Convection + Steam

 MW + Double Grill + Fan

 Convection + Steam

NEW

NUOVO



Spice Up New Horizons with Extra Capacity
Expand Culinary Boundaries with Advanced Innovations

RBO-NUOVO-82BL

Features


- Built-in Oven
- 13 Cooking Functions
- 82 L Capacity
- Sensor Touch with Knob Control Panel
- LCD Display
- Oven Light
- Time Control
- Removable Door
- 5 Shelf Side Support
- Enamel Cavity Material

Technical Info

Product Dimension (mm)
595 W x 566 D x 596 H

[LP] WM : RM 3,760
EM : RM 3,990

PWP
WM : **RM 2,788**
EM : **RM 2,988**



82L LARGE CAPACITY
Generously-sized 82L oven accommodates large culinary.



13 COOKING FUNCTIONS
To cater for a variety of cooking.



INTUITIVE KNOB CONTROL WITH SENSOR TOUCH

- 82L Capacity
- 13 Functions
- 5 Shelves Side Support
- Quality 3-Layers Glass Door
- Cooling System
- Rotisserie & Turnspit
- Child Lock

13 COOKING FUNCTIONS

Conventional	Conventional + Fan	Double Grill	Defrost
Convection	Radiant Heat	Pizza	Fermentation
Eco Convection	Double Grill + Fan	Bottom Heat	LIGHT PRE-HEAT

SERRA NUOVO BECCA CAVO LAVA IARX OREG 95455 OVEN & MICROWAVE

NEW OVEN & MICROWAVE

BECCA



Baking Paradise
Discover the Wonders of
Air Frying & 3D Cooking



AIR FRYER SYSTEM



83L LARGE CAPACITY
Generously-sized 83L oven accommodates
large culinary.



3D COOKING EFFECT

RBO-BECCA-83BL

Features


- Built-in Oven
- 10 Cooking Functions
- 83 L Capacity
- Mechanical Control Panel
- Oven Light
- Time Control
- Removable Door
- 5 Shelf Side Support
- Enamel Cavity Material

Technical Info

Product Dimension (mm)
594 W x 498 D x 594 H

[LP] WM : RM 2,530
EM : RM 2,680

PWP
WM : **RM 2,268**
EM : **RM 2,428**



83L Capacity



10 Functions



5 Shelves Side Support



Quality 3-Layers Glass Door



Cooling System



Air Fryer



3D Cooking Effect

10 COOKING FUNCTIONS



Light



Conventional + Fan



Double Grill



Air Fry



Defrost



Radiant Heat



Double Grill + Fan



Conventional




Dehydration



Pizza

BUILT-IN OVEN



- 60L Capacity
- 7 Functions
- A-Class Energy Efficiency
- 5 Shelves Side Support
- Quality 2-Layers Glass Door
- Cooling System
- Rotisserie & Turnspit

RBO-CAVO-60BL

Features

- Built-in Oven
- 7 Cooking Functions
- 60 L Capacity
- Mechanical Control Panel
- Oven Light
- Time Control
- Removable Door
- 5 Shelf Side Support
- Enamel Cavity Material
- A-Class Energy Efficiency

Technical Info

Product Dimension (mm)
594 W x 498 D x 594 H

PWP

[LP] WM : RM 1,650
EM : RM 1,750

WM : **RM 1,488**
EM : **RM 1,598**

RBO-LAVA-70SS

Features

- Built-in Oven
- 8 Cooking Functions
- 70 L Capacity
- Mechanical Control Panel
- Oven Light
- Time Control
- Removable Door
- 5 Shelf Side Support
- Enamel Cavity Material
- A-Class Energy Efficiency

Technical Info

Product Dimension (mm)
595 W x 555 D x 595 H

PWP

[LP] WM : RM 2,110
EM : RM 2,230

WM : **RM 1,898**
EM : **RM 2,038**

RBO-IA8X-70SS

Features

- Built-in Oven
- 8 Cooking Functions
- 70 L Capacity
- Mechanical + Digital Control Panel
- LCD Display
- Oven Light
- Time Control
- Removable Door
- 5 Shelf Side Support
- Enamel Cavity Material
- A-Class Energy Efficiency


Technical Info

Product Dimension (mm)
594 W x 548 D x 594 H


PWP

[LP] WM : RM 2,790
EM : RM 2,960

WM : **RM 2,508**
EM : **RM 2,688**



- 70L Capacity
- 8 Functions
- A-Class Energy Efficiency
- 5 Shelves Side Support
- Quality 2-Layers Glass Door
- Cooling System
- Rotisserie & Turnspit



- 70L Capacity
- 8 Functions
- A-Class Energy Efficiency
- 5 Shelves Side Support
- Quality 3-Layers Glass Door
- Cooling System
- Rotisserie & Turnspit
- Telescopic Runner

BUILT-IN MICROWAVE



RMO-OREO-28BL

Features


- Built-in Microwave with Grill
- 8 Auto Menu
- 28 L Capacity
- Electronic Control Panel
- LCD Display
- Oven Light
- Time Control
- Stainless Steel Cavity Material
- Child Lock

Technical Info

Product Dimension (mm)
595 W x 400 D x 388 H

[LP] WM : RM 1,440
EM : RM 1,530

PWP	
WM :	RM 1,298
EM :	RM 1,388



- 28L Capacity
- 8 Auto Menu
- Child Lock
- 30 Sec Quick Start
- Cooling System

RMO-934SS-GD34X

Features


- Built-in Microwave with Grill
- 8 Auto Menu
- 34 L Capacity
- Electronic Control Panel
- LCD Display
- Oven Light
- Time Control
- Stainless Steel Cavity Material
- Child Lock

Technical Info

Product Dimension (mm)
595 W x 407.5 D x 388 H

[LP] WM : RM 1,750
EM : RM 1,860

PWP	
WM :	RM 1,578
EM :	RM 1,688



- 34L Capacity
- 8 Auto Menu
- Child Lock
- 30 Sec Quick Start
- Cooling System



ONLINE REGISTRATION

- ① Log on to www.rubine.com.my
- ② Click on 'Support', followed by 'Warranty Registration' to proceed. You're required to sign up as a member.
- ③ Please fill up the necessary information, tick on the checkbox and click 'Sign Up'.
- ④ You'll receive notification of warranty registration confirmation via email.
- ⑤ Your warranty will be automatically extended for another 1 year upon online registration. Please keep your online warranty certificate for future services.

* Please find out from our authorized dealers for extended warranty!

OUR WARRANTY



6 YEARS OF WARRANTY

APPLICABLE ON HOOD MOTOR ONLY.



5 YEARS OF WARRANTY

APPLICABLE ON TEMPERED GLASS OF GAS HOB ONLY.



18 MONTHS OF STANDARD WARRANTY

APPLICABLE ON ALL PRODUCTS EXCLUDING ACCESSORIES.



1 YEAR OF WARRANTY EXTENSION

REGISTER ONLINE NOW AND GET 1 YEAR WARRANTY EXTENSION !

CUSTOMER CARE & WAYS TO REACH TO US



AFTER-SALES SERVICE

Contact: 03 – 6286 9000
Email: eqservice@fiamma.com.my



OPERATION HOURS

08.30am – 06.00pm
Monday–Friday, except public holiday



WAYS TO REACH US

Whenever you think of kitchen appliances, please pay a visit to your nearest Rubine store or find us online to get instant inquiry: rubine.com.my

*Product images for illustration purposes only.



REDEFINE THE WAY OF LIFE

2025 V.2

rubine.com.my



FIAMMA TRADING SDN BHD 330476-P (A member of Fiamma Holdings Berhad)
2-1, Wisma Fiamma, No.20, Jalan 7A/62A, Bandar Manjalara, 52200 Kuala Lumpur.

 [rubinmalaysia](https://www.facebook.com/rubinmalaysia)
 03-6286 9000

